

“

INTERNATIONAL STUDIES AND EVALUATIONS IN THE FIELD OF

CITY, REGION AND PLANNING

December 2024

EDITOR

PROF. DR. SERTAÇ GÜNGÖR

”

Genel Yayın Yönetmeni / Editor in Chief • C. Cansın Selin Temana

Kapak & İç Tasarım / Cover & Interior Design • Serüven Yayınevi

Birinci Basım / First Edition • © Aralık 2024

ISBN • 978-625-5955-85-2

© copyright

Bu kitabın yayın hakkı Serüven Yayınevi'ne aittir.

Kaynak gösterilmeden alıntı yapılamaz, izin almadan hiçbir yolla çoğaltılamaz. The right to publish this book belongs to Serüven Publishing. Citation can not be shown without the source, reproduced in any way without permission.

Serüven Yayınevi / Serüven Publishing

Türkiye Adres / Turkey Address: Kızılay Mah. Fevzi Çakmak 1. Sokak

Ümit Apt No: 22/A Çankaya/ANKARA

Telefon / Phone: 05437675765

web: www.seruvenyayinevi.com

e-mail: seruvenyayinevi@gmail.com

Baskı & Cilt / Printing & Volume

Sertifika / Certificate No: 47083

INTERNATIONAL STUDIES AND EVALUATIONS IN THE FIELD OF

CITY, REGION AND PLANNING

EDITORS

PROF. DR. SERTAÇ GÜNGÖR

CONTENTS

Chapter 1

INTELLIGENT TRANSPORTATION SYSTEMS: A SUSTAINABLE AND EFFECTIVE SOLUTION FOR FUTURE CITIES

İlker ATMACA 1

Chapter 2

SCENARIO WRITING AS A STRATEGIC TOOL IN URBAN AND REGIONAL PLANNING

Mehmet Akif SAĞ 29

Chapter 3

COMPARISON OF TEXT-TO-IMAGE GENERATIVE AI TOOLS FOR URBAN PORTRAITS: A CASE STUDY OF INVISIBLE CITIES BY USING STABLE DIFFUSION, DALL-E AND MIDJOURNEY

Özlem Kevseroğlu..... 49

Rifat Kurban 49

Chapter 1

INTELLIGENT TRANSPORTATION SYSTEMS: A SUSTAINABLE AND EFFECTIVE SOLUTION FOR FUTURE CITIES

*İlker ATMACA*¹

¹ Asst. Prof. Dr., Yozgat Bozok University, Faculty of Engineering and Architecture, Department of City and Regional Planning, ilker.atmaca@yobu.edu.tr ORCID: 0000-0001-9950-2833

1. INTRODUCTION

Intelligent Transportation Systems (ITS) represent a significant advancement in urban mobility, integrating various technologies to enhance the efficiency, safety, and sustainability of transportation networks. The core of ITS lies in the deployment of connected vehicles (CVs) and autonomous vehicles (AVs), which utilize Vehicle-to-Everything (V2X) communication technologies to facilitate real-time interactions between vehicles and their surroundings. This connectivity is crucial for improving traffic management, reducing congestion, and enhancing safety by enabling vehicles to share vital information regarding road conditions, traffic signals, and potential hazards (Chen et al., 2020; Sumalatha et al., 2019; Liu, 2023). The implementation of such systems is not merely a technological upgrade; it signifies a paradigm shift in how urban transportation is conceptualized and managed.

The impetus for the rise of ITS is largely driven by the challenges posed by increasing urban populations and the corresponding demand for more sustainable and efficient mobility solutions. Traditional transportation systems are often ill-equipped to handle the complexities of modern urban environments, leading to issues such as traffic congestion, pollution, and safety concerns (Ning, 2021; Namazi et al., 2019). Intelligent transportation systems address these challenges by employing advanced technologies, including the Internet of Things (IoT), artificial intelligence (AI), and edge computing, to optimize traffic flow and minimize emissions (Liu, 2023; Zheng et al., 2023). For instance, connected vehicles equipped with sensors can gather and transmit data about traffic patterns, allowing traffic signals to adjust dynamically to real-time conditions, which significantly reduces delays and enhances overall traffic efficiency (Chen et al., 2020; Sumalatha et al., 2019).

Moreover, the scope of ITS extends beyond vehicles to encompass a comprehensive ecosystem that includes infrastructure, public transportation, and pedestrian interactions. The integration of smart technologies into public transit systems can significantly enhance user experiences through real-time updates and improved scheduling, thereby promoting shared mobility solutions (Sumalatha et al., 2019; Chen et al., 2018). Additionally, the emergence of Urban Air Mobility (UAM) systems, which aim to incorporate aerial vehicles into the transportation mix, underscores the potential of ITS to redefine urban mobility paradigms (Banjanovic-Mehmedovic et al., 2018; Jiao & Huang, 2020). This holistic approach to transportation management not only improves the functionality of existing networks but also lays the groundwork for innovative solutions that can adapt to the evolving needs of urban populations.

One of the primary advantages of ITS is its ability to enhance transportation quality through improved traffic management. The integration of information and communication technology (ICT) with transportation infrastructure enables real-time monitoring and control of traffic conditions, which is particularly vital for urban areas with high traffic volumes (Liu, 2023; Su, 2023). This capability allows for the efficient management of traffic flow, resulting in reduced travel times and lower vehicle emissions, thus promoting environmental sustainability (Zheng et al., 2023; Ahanin et al., 2023). For example, ITS can facilitate automatic accident detection and provide timely information to drivers, significantly improving road safety (Yang et al., 2015; Namazi et al., 2022).

Furthermore, ITS plays a crucial role in addressing the challenges posed by urbanization, such as traffic congestion and difficulties in vehicle tracking. By leveraging emerging technologies, ITS can process vast amounts of data to identify patterns and predict traffic conditions, enabling proactive measures to alleviate congestion (Jayaprakash et al., 2023; Zhang, 2014). This predictive capability is essential for modern cities, where the demand for efficient transportation solutions is continuously increasing. The application of advanced algorithms and machine learning techniques further enhances the effectiveness of ITS in managing urban traffic dynamics (He, 2023; Gulati & Srinivasan, 2019).

In addition to improving traffic management, ITS fosters economic development by enhancing accessibility and mobility within urban areas. Efficient transportation systems are critical for facilitating trade and commerce, ensuring the timely movement of goods and services (Ning, 2021; Namazi et al., 2019). The deployment of ITS can lead to better transport planning and organization, making transportation systems more sustainable, accessible, and economically viable (Mane et al., 2023; Guillen-Perez & Cano, 2021). Moreover, ITS contributes to the overall quality of life in urban settings by reducing travel times and enhancing the reliability of public transportation systems (Vallati et al., 2021; Pan et al., 2017).

The multifaceted importance of ITS in contemporary transportation cannot be overstated. By leveraging advancements in ICT, ITS improves traffic management, reduces congestion, and enhances safety, thereby significantly contributing to urban mobility and sustainability (Hamadeh et al., 2021; Ristama, 2023). As cities continue to grow and evolve, the integration of intelligent transportation systems will be paramount in addressing the myriad challenges associated with urbanization.

2. TECHNOLOGICAL FOUNDATIONS OF INTELLIGENT TRANSPORTATION SYSTEMS

The foundation of ITS is intricately woven with several key technological components, including the Internet of Things (IoT), data analytics, artificial intelligence (AI), and communication technologies. These elements work synergistically to enhance the efficiency, safety, and sustainability of transportation systems, thereby addressing the myriad challenges posed by urbanization and increasing mobility demands.

2.1. Internet of Things (IoT) and ITS

The IoT plays a pivotal role in the development of ITS by enabling the interconnection of various devices and systems. This connectivity allows for real-time data collection and sharing, which is essential for effective traffic management and monitoring. IoT devices, such as sensors and cameras, gather data on traffic flow, vehicle speeds, and environmental conditions, which can be analyzed to optimize traffic signals and reduce congestion (Wang et al., 2018). The integration of IoT in ITS not only improves operational efficiency but also enhances the user experience by providing real-time information to travelers about traffic conditions and alternative routes (Sen, 2021). For instance, smart traffic lights can adjust their timings based on real-time traffic data collected from IoT sensors, thereby minimizing delays and improving traffic flow (Andrienko et al., 2017).

Moreover, the IoT facilitates the development of smart infrastructure that can communicate with vehicles, creating a more cohesive transportation ecosystem. This interconnectedness allows for the implementation of advanced traffic management strategies, such as adaptive traffic signal control, which can dynamically respond to changing traffic conditions (Çelik et al., 2023). The ability to collect and analyze data from various sources in real-time enables transportation agencies to make informed decisions that enhance safety and efficiency on the roads (Abbas et al., 2021). As urban areas continue to expand, the role of IoT in ITS will become increasingly critical in managing the complexities of modern transportation networks.

2.2. Data Analytics and Machine Learning

Data analytics serves as another cornerstone of ITS, enabling the processing and interpretation of vast amounts of data collected from various sources. Advanced analytics techniques, including machine learning algorithms, are employed to predict traffic patterns, identify potential incidents, and optimize routing for vehicles (Hao & Qin, 2020). For instance, predictive analytics can forecast traffic congestion based on historical data and current conditions, allowing transportation agencies

to implement proactive measures to mitigate delays (Maciejewski et al., 2016). The ability to analyze data in real-time enhances decision-making processes and contributes to more effective traffic management strategies.

Machine learning models can also be utilized to improve the accuracy of traffic predictions by continuously learning from new data inputs, thereby refining their algorithms over time (Bhuvana et al., 2023). This adaptability is crucial in urban environments where traffic conditions can change rapidly due to various factors, including weather, accidents, and road construction. By leveraging data analytics, ITS can provide valuable insights that inform infrastructure investments, traffic policy decisions, and public transportation planning (Raja et al., 2020). The integration of data analytics into ITS not only enhances operational efficiency but also contributes to a more sustainable urban mobility framework.

2.3. Communication Technologies

Effective communication technologies are essential for the seamless operation of ITS. V2X communication is a critical aspect, allowing vehicles to communicate with each other and with infrastructure elements such as traffic signals and road signs (Çelik et al., 2023). This communication facilitates the exchange of information regarding traffic conditions, hazards, and navigation assistance, thereby improving overall safety and efficiency on the roads (Zheng, 2019). Additionally, the use of dedicated short-range communications (DSRC) and cellular networks ensures that data is transmitted quickly and reliably, which is vital for real-time applications in ITS.

The implementation of V2X communication enables vehicles to receive timely updates about road conditions, traffic signals, and potential hazards, allowing drivers to make informed decisions (Andrienko et al., 2017). Furthermore, this communication technology supports the development of cooperative driving strategies, where vehicles can work together to optimize traffic flow and reduce congestion (Wang et al., 2018). As communication technologies continue to evolve, their integration into ITS will play a crucial role in enhancing the safety and efficiency of urban transportation systems.

2.4. Advanced Traffic Management Systems (ATMS)

Advanced Traffic Management Systems (ATMS) are integral components of ITS that utilize advanced technologies to monitor and manage traffic flow. These systems employ a combination of sensors, cameras, and data analytics to provide real-time information about traffic conditions and incidents. By integrating various data sources, ATMS can optimize traffic signal timings, manage lane usage, and provide timely

alerts to drivers about accidents or road closures. The implementation of ATMS has been shown to reduce travel times, improve safety, and decrease emissions by minimizing stop-and-go traffic conditions (Sen, 2021).

ATMS can also facilitate the coordination of traffic management efforts across different jurisdictions, ensuring a more cohesive approach to urban mobility. By leveraging real-time data, these systems can adapt to changing traffic patterns and implement strategies that enhance overall traffic flow. For example, ATMS can reroute traffic in response to accidents or road closures, thereby minimizing delays and improving the efficiency of the transportation network. The continued development and deployment of ATMS will be essential in addressing the growing challenges of urban traffic management.

2.5. Autonomous Vehicles and ITS

The advent of autonomous vehicles represents a significant advancement in the realm of ITS. These vehicles rely on a combination of sensors, cameras, and AI algorithms to navigate and make decisions in real-time. The integration of autonomous vehicles into existing transportation systems has the potential to enhance safety by reducing human error, which is a leading cause of traffic accidents. Furthermore, autonomous vehicles can communicate with other vehicles and infrastructure, contributing to more efficient traffic flow and reduced congestion (Raja et al., 2020).

The deployment of autonomous vehicles can also lead to changes in urban planning and infrastructure design, as these vehicles may require different road configurations and traffic management strategies. For instance, dedicated lanes for autonomous vehicles could be established to optimize their performance and safety. Additionally, the data collected from autonomous vehicles can provide valuable insights into traffic patterns and behaviors, further informing traffic management strategies. As the technology continues to evolve, the integration of autonomous vehicles into ITS will play a crucial role in shaping the future of urban mobility.

2.6. Blockchain Technology in ITS

Blockchain technology is emerging as a valuable tool in the context of ITS, particularly in enhancing security and data integrity. By providing a decentralized and tamper-proof ledger, blockchain can facilitate secure transactions and data sharing among various stakeholders in the transportation ecosystem (Abbas et al., 2021). For example, blockchain can be used to manage vehicle ownership records, track the maintenance history of vehicles, and ensure the authenticity of data collected from IoT devices. This technology not only enhances trust among participants but also streamlines processes within the transportation sector.

The integration of blockchain with IoT can further enhance the security of connected vehicles and infrastructure, protecting against potential cyber threats. Additionally, smart contracts enabled by blockchain can automate various processes within the transportation ecosystem, such as toll payments and vehicle registration, thereby improving efficiency and reducing administrative burdens. As the transportation industry continues to embrace digitalization, the role of blockchain technology in ITS will become increasingly significant in ensuring secure and efficient operations.

3. KEY COMPONENTS OF INTELLIGENT TRANSPORTATION SYSTEMS

The key components of ITS encompass a variety of technologies and methodologies that work together to create a cohesive and responsive transportation environment (Figure 1.).




Figure 1. *Key components of intelligent transportation systems*

3.1. Traffic Management Systems

Traffic management systems are integral components of ITS that utilize advanced technologies to monitor and manage traffic flow. These systems employ a combination of sensors, cameras, and data analytics to provide real-time information about traffic conditions and incidents Tzvetkova (2020). By integrating various data sources, traffic management systems can optimize traffic signal timings, manage lane usage, and provide timely alerts to drivers about accidents or road closures. The implementation of these systems has been shown to reduce travel times, improve safety, and decrease emissions by minimizing stop-and-go traffic conditions (Rakhmatulloh et

al., 2021). For instance, real-time data from traffic management systems can lead to dynamic adjustments in signal timings, which can significantly alleviate congestion during peak hours. Furthermore, these systems can facilitate better coordination among different transportation modes, enhancing the overall efficiency of urban mobility (Geurs et al., 2016).

3.2. Connected Vehicles and V2X

Communication Connected vehicles (CVs) are a cornerstone of ITS, enabling real-time communication between vehicles and their environments through Vehicle-to-Everything (V2X) technologies. V2X communication allows vehicles to interact with each other (V2V), with infrastructure (V2I), and with pedestrians (V2P) (Buehler et al., 2018). This connectivity enhances traffic management and safety by enabling vehicles to share critical information about road conditions, traffic signals, and potential hazards. For instance, when a vehicle detects an accident ahead, it can communicate this information to other vehicles, allowing them to reroute and avoid congestion (Cools et al., 2016). The integration of V2X communication is essential for the development of autonomous vehicles, as it enhances situational awareness and decision-making capabilities (Komarova, 2021). Moreover, V2X communication can also support emergency vehicle prioritization, ensuring that first responders can navigate through traffic more efficiently (Corsar et al., 2017).

3.3. Data Analytics and Artificial Intelligence

Data analytics is another critical component of ITS, enabling the processing and interpretation of vast amounts of data generated by connected vehicles and infrastructure. Advanced analytics techniques, including machine learning and AI, are employed to identify patterns, predict traffic conditions, and optimize routing for vehicles (Hardiyansyah et al., 2023). For example, AI algorithms can analyze historical traffic data alongside real-time information to forecast congestion and suggest alternative routes, thereby minimizing delays and improving overall traffic efficiency (Cheng & Chen, 2015). The integration of AI in ITS enhances decision-making processes, allowing transportation agencies to implement proactive measures based on predictive analytics. Additionally, AI can facilitate the development of intelligent algorithms that adapt to changing traffic conditions, further improving the responsiveness of traffic management systems (Gogolova, 2017).

3.4. Public Transportation Integration

The integration of smart technologies into public transportation systems is another key component of ITS. This integration enhances user experience through real-time updates and improved scheduling, while also

promoting the use of shared mobility solutions (Sani, 2020). For instance, real-time tracking of buses and trains allows passengers to receive accurate arrival times, reducing wait times and improving overall satisfaction. Furthermore, effective integration of public transport with other modes of transportation, such as cycling and walking, can enhance accessibility and encourage greater use of public transit (Smith et al., 2018). This multimodal approach not only improves the efficiency of public transport systems but also contributes to reducing the environmental impact of urban mobility (Chen, 2023).

3.5. Intelligent Parking Management

Parking management is another key component of ITS. Intelligent Parking Systems (IPS) are designed to address the challenges associated with traditional parking management, which often leads to inefficiencies, increased traffic congestion, and environmental pollution. By utilizing a combination of sensors, cameras, and communication technologies, IPS can monitor parking spaces in real-time, providing drivers with accurate information about available spots (Ewhrudjakpor et al., 2019). This capability not only improves the efficiency of parking operations but also enhances the overall user experience by reducing the time spent searching for parking. Moreover, intelligent parking solutions can integrate with navigation systems to guide drivers to available spaces, further alleviating congestion in urban areas (Rifai & Arifin, 2020). The implementation of such systems can also facilitate dynamic pricing strategies that encourage the efficient use of parking resources (Yun et al., 2023).

3.6. Infrastructure Development

The physical infrastructure that supports ITS is crucial for its successful implementation. This includes the development of smart roads equipped with sensors and communication technologies that facilitate data collection and sharing (Sochor, 2015). Upgrading and expanding urban infrastructure to accommodate connected and autonomous vehicles is essential for maximizing the benefits of ITS. This infrastructure must be designed to support various modes of transportation, ensuring seamless connectivity between different systems and enhancing overall mobility (DeRobertis et al., 2020). Additionally, the integration of renewable energy sources and sustainable materials in infrastructure development can contribute to the environmental sustainability of transportation systems (Nag et al., 2019). As cities evolve, the continuous investment in infrastructure will be vital to support the growing demands of urban mobility and the integration of advanced transportation technologies.

3.7. User-Centric Design and Public Acceptance

The success of ITS also hinges on user acceptance and the design of systems that prioritize user experience. Engaging with stakeholders, including the public, during the design and implementation phases is essential for addressing concerns and ensuring that the systems meet the needs of users (Merkert et al., 2020). Public education campaigns can help raise awareness about the benefits of ITS, fostering a positive perception and encouraging adoption (Errampalli et al., 2020).

Moreover, incorporating user feedback into the design process can lead to more intuitive and accessible systems, ultimately enhancing user satisfaction and promoting greater use of public transportation and other ITS features (Hu et al., 2020). The emphasis on user-centric design is crucial in ensuring that ITS solutions are not only technologically advanced but also socially acceptable and beneficial for all users.

4. APPLICATIONS OF INTELLIGENT TRANSPORTATION SYSTEMS

The applications of ITS address various challenges faced by urban environments, including traffic congestion, safety concerns, and environmental impacts.

4.1. Traffic Management and Control

One of the primary applications of ITS is traffic management and control. Intelligent Traffic Management Systems utilize real-time data from various sources, such as sensors and cameras, to monitor traffic conditions and optimize traffic flow (Al-Abassi & Al-Jameel, 2021). By analyzing this data, traffic management agencies can implement adaptive signal control systems that adjust traffic light timings based on current traffic volumes, thereby reducing congestion and improving overall traffic efficiency (Biyik et al., 2021). Additionally, incident detection systems can quickly identify accidents or breakdowns, allowing for rapid response and minimizing disruptions to traffic flow (Lile, 2023). The effectiveness of these systems is evidenced by studies showing significant reductions in travel times and improvements in safety metrics in cities where such technologies have been implemented (Roman et al., 2018).

4.2. Public Transportation Optimization

ITS plays a crucial role in optimizing public transportation systems. By integrating real-time tracking and scheduling technologies, public transit agencies can provide passengers with accurate information about arrival times and service availability (Al Harbi et al., 2017). This enhances the user experience and encourages greater use of public transportation, which can

help alleviate traffic congestion and reduce emissions. Furthermore, ITS can facilitate the coordination of different modes of transportation, such as buses, trains, and rideshare services, creating a seamless travel experience for users (Ge, 2023). The integration of public transport with other mobility solutions not only enhances accessibility but also promotes a shift from private vehicle use to more sustainable transport options (Alarbi, 2023).

4.3. Smart Parking Solutions

IPS are another significant application of ITS. These systems utilize sensors and mobile applications to provide real-time information about parking availability, allowing drivers to locate and reserve parking spaces before arriving at their destination (Buldakov, 2020). By reducing the time spent searching for parking, smart parking solutions can decrease traffic congestion and improve air quality in urban areas. Additionally, dynamic pricing models can be implemented to optimize the use of parking resources, encouraging turnover and maximizing revenue for parking facilities (Iacobescu et al., 2021). Research indicates that smart parking systems can lead to a more efficient allocation of parking spaces, ultimately enhancing the overall urban mobility experience (Joshi et al., 2021).

4.4. Vehicle-to-Everything (V2X) Communication

V2X communication is a transformative application of ITS that enables vehicles to communicate with each other, infrastructure, and pedestrians. This connectivity enhances safety by allowing vehicles to share information about road conditions, traffic signals, and potential hazards (Rizwan et al., 2019). For instance, if a vehicle detects an impending collision, it can alert nearby vehicles to take evasive action, thereby preventing accidents. V2X communication also supports the development of autonomous vehicles, as it provides critical information for navigation and decision-making (Hirai & Murase, 2020). The integration of V2X technologies is essential for creating safer and more efficient transportation networks, particularly in urban settings where traffic density is high (El-Jamassi et al., 2022).

4.5. Environmental Monitoring and Management

ITS applications extend beyond traffic management to include environmental monitoring and management. By integrating data from various sources, such as air quality sensors and traffic flow data, ITS can provide insights into the environmental impacts of transportation systems. This information can be used to develop strategies for reducing emissions, promoting sustainable transportation options, and improving urban air quality. For example, cities can implement congestion pricing or promote the use of electric vehicles based on data-driven insights from ITS (Petrov et al., 2018). The ability to monitor environmental conditions in

real-time allows urban planners to make informed decisions that enhance sustainability and public health (Pham et al., 2015).

4.6. Emergency Response and Management

ITS also play a vital role in emergency response and management. By utilizing real-time data and communication technologies, ITS can facilitate the rapid deployment of emergency services to incidents, improving response times and enhancing public safety (Banode, 2023). For instance, traffic signal preemption systems can prioritize the movement of emergency vehicles at intersections, allowing them to reach their destinations more quickly. Additionally, ITS can provide real-time information to the public during emergencies, helping to guide evacuation efforts and inform citizens about potential hazards (Otchere & Opare, 2019). The integration of ITS in emergency management not only improves the efficiency of response efforts but also enhances community resilience in the face of disasters (Shawly et al., 2022).

4.7. Data-Driven Urban Planning

The integration of ITS into urban planning processes is becoming increasingly important. By analyzing traffic patterns, travel behavior, and environmental data, urban planners can make informed decisions about transportation infrastructure and land use (Barriga et al., 2020). This data-driven approach allows for the development of more sustainable and efficient transportation systems that meet the needs of growing urban populations. Additionally, ITS can support the implementation of smart city initiatives, enhancing the overall livability and functionality of urban environments (Rizvi et al., 2019). The insights gained from ITS data can inform policies that promote equitable access to transportation and support economic development.

5. CASE STUDIES AND GLOBAL PERSPECTIVES OF INTELLIGENT TRANSPORTATION SYSTEMS

ITS have been implemented in various forms across the globe, showcasing their versatility and effectiveness in addressing transportation challenges.

5.1. Case Study: Singapore's Smart Traffic Management

Singapore is often cited as a leading example of ITS implementation. The city-state has developed a comprehensive smart traffic management system that integrates various technologies to optimize traffic flow and reduce congestion (Figure 2.). The system utilizes a network of sensors, cameras, and data analytics to monitor real-time traffic conditions across the city (Kim & Hong, 2016).



Figure 2. *ITS Vision for Singapore [URL 1]*

One of the key features of Singapore's ITS is its Electronic Road Pricing (ERP) system, which employs dynamic tolling based on real-time traffic conditions. This system adjusts toll rates according to traffic demand, encouraging drivers to use alternative routes during peak hours (Abood et al., 2023). The integration of Vehicle-to-Everything (V2X) communication allows vehicles to receive real-time updates about traffic conditions, further enhancing the efficiency of the transportation network. The success of Singapore's ITS can be attributed to its focus on data-driven decision-making and public engagement. The government actively involves citizens in the planning process, ensuring that the system meets the needs of the community while promoting sustainable urban mobility (Ahn et al., 2018).

5.2. Case Study: Barcelona's Smart Parking Solutions

Barcelona has implemented an Intelligent Parking System (IPS) that utilizes IoT technology to optimize parking resource utilization in the city. The system employs sensors installed in parking spaces to detect vehicle occupancy and transmit real-time information to a central management system (Figure 3.) (Naik et al., 2019).




Figure 3. *IPS for Barcelona [URL 2]*

Drivers can access this information through a mobile application, which provides guidance to available parking spots, reducing the time spent searching for parking. The IPS also incorporates dynamic pricing, adjusting parking fees based on demand to encourage turnover and maximize revenue for parking facilities (Khalid, 2024). The implementation of Barcelona's IPS has led to a significant reduction in traffic congestion and emissions, as drivers no longer need to circle the streets in search of parking. This case study highlights the importance of integrating smart technologies into urban infrastructure to create more efficient and sustainable transportation systems (Blinova, 2024).

5.3. Global Perspective: ITS in Developing Countries

While many ITS implementations are concentrated in developed countries, there is a growing interest in adopting intelligent transportation solutions in developing nations. For instance, countries like India and Brazil are exploring the potential of ITS to address urban mobility challenges, such as traffic congestion and inadequate public transportation systems (Naderpour et al., 2017). In India, cities like Delhi have begun implementing ITS technologies to improve traffic management and enhance public transportation services. The Delhi Traffic Police has introduced a centralized traffic management system that utilizes real-time data to monitor traffic conditions and respond to incidents more effectively (Jameel et al., 2021). Similarly, Brazil's Smart Mobility program aims to integrate ITS technologies into urban transportation planning, focusing on improving public transit efficiency and reducing emissions. The program emphasizes the importance of collaboration between government agencies, private sector stakeholders, and citizens to create sustainable transportation solutions (Guizar et al., 2020).

5.4. Emerging Trends and Future Directions

As ITS continues to evolve, several emerging trends are shaping the future of intelligent transportation systems. The integration of AI and machine learning is expected to enhance the capabilities of ITS, enabling more sophisticated data analysis and predictive modeling (Tal et al., 2013). Additionally, the rise of connected and autonomous vehicles presents new opportunities for ITS implementation. These vehicles rely on V2X communication to interact with their environment, improving safety and efficiency on the roads (Sangeetha et al. 2024). Moreover, the adoption of blockchain technology in ITS is gaining traction, particularly in enhancing data security and privacy. Blockchain can facilitate secure data sharing among various stakeholders, ensuring the integrity of information exchanged within the transportation network (Kwon et al., 2021). The convergence of these technologies promises to create more resilient and

adaptive transportation systems capable of meeting the challenges of urban mobility in the future.

6. FUTURE TRENDS IN INTELLIGENT TRANSPORT SYSTEMS

ITS are rapidly evolving, driven by advancements in technology, increasing urbanization, and the need for sustainable transportation solutions. As cities around the world grapple with challenges such as traffic congestion, pollution, and safety concerns, the future of ITS holds significant promise for enhancing urban mobility. This section explores key future trends in ITS, highlighting emerging technologies, innovative applications, and the potential for transformative change in transportation networks.

6.1. Integration of Artificial Intelligence and Machine Learning

AI and machine learning are set to play a pivotal role in the future of ITS. These technologies enable advanced data analysis and predictive modeling, allowing transportation agencies to make informed decisions based on real-time data Hoang (2020). For instance, AI algorithms can analyze traffic patterns, weather conditions, and historical data to predict congestion and optimize traffic flow. This predictive capability will enhance traffic management systems, allowing for dynamic adjustments to traffic signals and routing strategies based on current conditions (Savin, 2021). Moreover, AI can facilitate the development of autonomous vehicles (AVs) that rely on real-time data from their environment to navigate safely and efficiently. As AV technology matures, its integration into existing transportation systems will require sophisticated AI-driven solutions to ensure seamless operation and safety.

6.2. Expansion of V2X Communication

The future of ITS will see a significant expansion of V2X communication technologies. V2X enables vehicles to communicate with each other, infrastructure, and pedestrians, creating a connected ecosystem that enhances safety and efficiency (Ibanez et al., 2018). As the deployment of 5G networks continues to grow, V2X communication will become more reliable and widespread, allowing for real-time data exchange and improved situational awareness for drivers and automated systems (Mustakim, 2020). This connectivity will facilitate advanced applications such as cooperative adaptive cruise control, where vehicles can communicate to maintain optimal distances and speeds, reducing the likelihood of collisions and improving traffic flow (Azizalrahman & Hasyimi, 2020). Furthermore, V2X communication will support the integration of smart traffic management systems that can adapt to changing conditions based on real-time data from connected vehicles.

6.3. Emphasis on Sustainable Transportation Solutions

Sustainability will be a key focus in the future development of ITS. As urban populations continue to grow, the demand for efficient and environmentally friendly transportation solutions will increase. IPS and smart public transportation solutions will play a crucial role in promoting sustainable urban mobility (Maksimchuk et al., 2022). For example, IPS can reduce the time spent searching for parking, thereby decreasing vehicle emissions and congestion (Razizadeh, 2023). Additionally, the integration of electric and hybrid vehicles into ITS will contribute to reducing the carbon footprint of urban transportation. As cities implement policies to promote electric vehicle (EV) adoption, ITS will facilitate the development of charging infrastructure and optimize routing for EVs to ensure efficient energy use (Javed et al., 2020).

6.4. Enhanced Cybersecurity Measures

As ITS becomes increasingly reliant on data exchange and connectivity, cybersecurity will be a critical concern. The potential vulnerabilities associated with connected vehicles and infrastructure necessitate robust security measures to protect sensitive data and ensure the integrity of transportation systems (Khurana et al., 2019). Future ITS will need to incorporate advanced cybersecurity protocols, including encryption, authentication, and intrusion detection systems, to safeguard against cyber threats (Chang, 2023). Moreover, the use of blockchain technology is being explored as a means to enhance data security and privacy within ITS. Blockchain can provide a decentralized and tamper-proof ledger for transactions and data sharing, ensuring the authenticity and integrity of information exchanged among various stakeholders (Riki et al., 2020).

6.5. Smart Infrastructure Development

The future of ITS will also involve the development of smart infrastructure that integrates advanced technologies to support connected and autonomous vehicles. This includes the installation of sensors, cameras, and communication devices in roadways, traffic signals, and parking facilities to facilitate real-time data collection and sharing (Maaroufi et al., 2021). Smart infrastructure will enable more efficient traffic management, enhance safety, and improve the overall user experience. Additionally, the concept of “smart cities” will drive the integration of ITS with urban planning and development. By incorporating ITS into the design of urban spaces, cities can create more efficient transportation networks that prioritize accessibility, sustainability, and safety (Scarinci et al., 2017).

6.6. Focus on User-Centric Solutions

User-centric design will be increasingly important in the development of ITS. Engaging with stakeholders, including the public, during the design and implementation phases is essential for ensuring that systems meet the needs of users (Premkumar & Saminadan, 2015). Future ITS will prioritize user experience by providing intuitive interfaces, real-time information, and personalized services that enhance the overall travel experience. Public education campaigns will also play a crucial role in fostering acceptance and encouraging the adoption of ITS technologies. By raising awareness about the benefits of intelligent transportation solutions, cities can promote greater participation in smart mobility initiatives (Guido et al., 2022).

7. CONCLUSION

In conclusion, ITS represent a paradigm shift in how we approach the management and operation of transportation networks. By leveraging advanced technologies such as connectivity, data analytics, AI, and automation, ITS enhances the efficiency, safety, and sustainability of urban mobility. The integration of these technologies addresses the pressing challenges posed by increasing urbanization, traffic congestion, and environmental concerns, ultimately leading to smarter and more responsive transportation systems.

The key components of ITS, including connected vehicles, traffic management systems, smart parking solutions, and public transportation integration, work synergistically to optimize transportation networks. For instance, connected vehicles equipped with V2X communication capabilities allow for real-time data exchange, enhancing situational awareness and enabling proactive traffic management. Traffic management systems utilize data from various sources to monitor and control traffic flow, reducing delays and improving safety at intersections. Similarly, intelligent parking systems streamline the parking experience, minimizing the time drivers spend searching for available spaces and reducing congestion in urban areas.

Case studies from cities like Singapore and Barcelona illustrate the successful implementation of ITS and its potential to transform urban mobility. Singapore's comprehensive traffic management system, which includes dynamic tolling through its Electronic Road Pricing (ERP) system, effectively manages traffic demand and encourages the efficient use of road space. Barcelona's Intelligent Parking System, which utilizes IoT technology to provide real-time parking availability information, has significantly improved the user experience and reduced traffic congestion. These examples highlight the effectiveness of ITS in enhancing transportation efficiency and promoting sustainable urban development.

Moreover, the global perspective on ITS reveals a growing interest in adopting intelligent transportation solutions in developing countries. As urban populations continue to rise, cities in regions such as India and Brazil are exploring the potential of ITS to address their unique transportation challenges. By implementing ITS technologies, these cities can improve traffic management, enhance public transportation services, and promote sustainable mobility solutions, ultimately contributing to economic development and improved quality of life for residents.

Looking ahead, several future trends are poised to shape the evolution of ITS. The integration of AI and machine learning will enable more sophisticated data analysis and predictive modeling, allowing transportation agencies to make informed decisions based on real-time data. The expansion of V2X communication technologies, supported by the rollout of 5G networks, will enhance connectivity and facilitate the development of autonomous vehicles, further improving safety and efficiency on the roads. Additionally, the emphasis on sustainability will drive the adoption of electric and hybrid vehicles within ITS, contributing to reduced emissions and a smaller carbon footprint.

However, the successful implementation of ITS is not without challenges. Issues related to infrastructure costs, data privacy, and cybersecurity must be addressed to ensure the effective deployment of intelligent transportation solutions. As ITS continues to evolve, it will be essential for stakeholders including government agencies, private sector partners, and the public to collaborate and engage in the planning and implementation processes. Public education campaigns will also play a crucial role in fostering acceptance and encouraging the adoption of ITS technologies.

In summary, Intelligent Transportation Systems hold immense potential to revolutionize urban mobility and improve the quality of life for citizens. By harnessing the power of connectivity, data analytics, and emerging technologies, ITS can create more efficient, safe, and sustainable transportation networks. As research and development in this field continue to advance, the future of ITS promises innovative solutions that can adapt to the evolving needs of urban populations, ultimately paving the way for smarter, more resilient cities.

REFERENCES

- Abbas, K., Tawalbeh, L., Rafiq, A., Muthanna, A., Elgendy, I., & El-Latif, A. (2021). Convergence of blockchain and iot for secure transportation systems in smart cities. *Security and Communication Networks*, 2021, 1-13.
- Abood, M., Wang, H., He, D., Kang, Z., & Kawoya, A. (2023). Intelligent network slicing in v2x networks – a comprehensive review. *Journal of Artificial Intelligence and Technology*.
- Ahanin, F., Mustapha, N., Zolkepli, M., & Husin, N. (2023). A review of traffic state prediction (tsp) methods in intelligent transportation systems (its). *International Journal of Academic Research in Business and Social Sciences*, 13(3).
- Ahn, J., Kim, Y., & Kim, R. (2018). A novel wlan vehicle-to-everything (v2x) channel access scheme for ieee 802.11p-based next-generation connected car networks. *Applied Sciences*, 8(11), 2112.
- Al-Abassi, S. & Al-Jameel, H. (2021). Design and study of a smart park system: university of kufa as a case study. *Kufa Journal of Engineering*, 9(4), 128-145.
- Alarbi, M. (2023). Scope: smart cooperative parking environment. *Ieee Access*, 11, 120346-120361.
- Al Harbi, A., Alotaibi, B., Baatya, M., Jastania, Z., & Meccawy, M. (2017). A smart parking solution for jeddah city. *International Journal of Computer Applications*, 171(7), 4-9.
- Andrienko, G., Chen, W., Maciejewski, R., & Zhao, Y. (2017). Visual analytics of mobility and transportation: state of the art and further research directions. *Ieee Transactions on Intelligent Transportation Systems*, 18(8), 2232-2249.
- Azizalrahman, H. & Hasyimi, V. (2020). Towards a generic framework for smart cities. *IntechOpen*.
- Banjanovic-Mehmedovic, L., Butigan, I., Mehmedovic, F., & Kantardzic, M. (2018). Hybrid automaton based vehicle platoon modelling and cooperation behaviour profile prediction. *Tehnicki Vjesnik - Technical Gazette*, 25(3).
- Banode, M. (2023). Smart parking system using mern stack. *International Journal for Research in Applied Science and Engineering Technology*, 11(5), 2811-2814.

- Barriga, J., Sulca, J., León, J., Ulloa, A., Portero, D., García, J., & Yoo, S. (2020). A smart parking solution architecture based on lorawan and kubernetes. *Applied Sciences*, 10(13), 4674.
- Bhuvana, J., Hashmi, H., Adhvaryu, R., Kashyap, S., Kumari, S., & Wadhwa, D. (2023). Intelligent analytics algorithms in breach detection systems for securing vanets and data for smart transportation management.
- Bıyık, C., Allam, Z., Pieri, G., Moroni, D., Fraifer, M., O'Connell, E., & Khalid, M. (2021). Smart parking systems: reviewing the literature, architecture and ways forward. *Smart Cities*, 4(2), 623-642.
- Blinova, T. (2024). Data-intensive traffic management: real-time insights from the traffic management simulation test. *Bio Web of Conferences*, 86, 01089.
- Buehler, R., Pucher, J., & Dümmler, O. (2018). Verkehrsverbund: the evolution and spread of fully integrated regional public transport in germany, austria, and switzerland. *International Journal of Sustainable Transportation*, 13(1), 36-50.
- Buldakov, N. (2020). An open source solution for smart contract-based parking. 16th International Conference on Open Source Systems, Innopolis, Russia. 55-69.
- Chang, C. (2023). An infrastructure management humanistic approach for smart cities development, evolution, and sustainability. *Infrastructures*, 8(9), 127.
- Chen, L. (2023). Research on smart mobility in public transportation and solutions for mobility. *Highlights in Science Engineering and Technology*, 56, 498-505.
- Chen, X., Chen, C., Cai, Y., Wang, H., & Ye, Q. (2018). Kernel sparse representation with hybrid regularization for on-road traffic sensor data imputation. *Sensors*, 18(9), 2884.
- Chen, X., Lu, J., Zhao, J., Qu, Z., Yang, Y., & Xian, J. (2020). Traffic flow prediction at varied time scales via ensemble empirical mode decomposition and artificial neural network. *Sustainability*, 12(9), 3678.
- Cheng, Y. & Chen, S. (2015). Perceived accessibility, mobility, and connectivity of public transportation systems. *Transportation Research Part a Policy and Practice*, 77, 386-403.
- Cools, M., Fabbro, Y., & Bellemans, T. (2016). Free public transport: a socio-cognitive analysis. *Transportation Research Part a Policy and Practice*, 86, 96-107.

- Corsar, D., Edwards, P., Nelson, J., Baillie, C., Papangelis, K., & Velaga, N. (2017). Linking open data and the crowd for real-time passenger information. *SSRN Electronic Journal*.
- Çelik, Y., Aydın, M., Petri, I., & Potoglou, D. (2023). Intelligent transportation systems applications: safety and transfer of big transport data., *Transbaltica XIII: Transportation Science and Technology*, 59-73.
- DeRobertis, M., Ferrell, C., Lee, R., & Eells, J. (2020). Characteristics of effective metropolitan areawide public transit: a comparison of european, canadian, and australian case studies.
- Di, H. (2021). Risk management in the construction of intelligent transportation platform based on artificial intelligence. *Converter*, 543-549.
- El-Jamassi, A., Al-Sultan, H., & El-Saidy, A. (2022). A smart parking system , case study. *Iraqi Journal of Civil Engineering*, 15(2), 97-103.
- Errampalli, M., Patil, K., & Prasad, C. (2020). Evaluation of integration between public transportation modes by developing sustainability index for indian cities. *Case Studies on Transport Policy*, 8(1), 180-187.
- Ewhrudjakpor, O., Poliakova, A., & Poliak, M. (2019). The integration of passenger transport and integration barriers. *The Archives of Automotive Engineering - Archiwum Motoryzacji*, 85(3), 103-113.
- Ge, L. (2023). Landscape architecture design and implementation based on intelligent monitoring sensing network. *Journal of Sensors*, 2023(1).
- Geurs, K., Puello, L., & Weperen, S. (2016). A multi-modal network approach to model public transport accessibility impacts of bicycle-train integration policies. *European Transport Research Review*, 8(4).
- Gogolova, M. (2017). Methodological proposal of profit distribution among the participants of integrated transport system. *Universal Journal of Management*, 5(3), 133-138.
- Guido, G., Haghshenas, S., Haghshenas, S., Vitale, A., Gallelli, V., & Astarita, V. (2022). Prioritizing the potential smartification measures by using an integrated decision support system with sustainable development goals (a case study in southern italy). *Safety*, 8(2), 35.
- Guillen-Perez, A. and Cano, M. (2021). Intelligent iot systems for traffic management: a practical application. *Iet Intelligent Transport Systems*, 15(2), 273-285.
- Guizar, A., Mannoni, V., Poli, F., Denis, B., & Berg, V. (2020). Lte-v2x performance evaluation for cooperative collision avoidance (coca) systems. *IEEE 92nd Vehicular Technology Conference (VTC2020-Fall)*, Victoria, BC, Canada, 2020, 1-5.

- Gulati, I. & Srinivasan, R. (2019). Image processing in intelligent traffic management. *International Journal of Recent Technology and Engineering*, 8(2S4), 213-218.
- Hamadeh, N., Karouni, A., Farhat, Z., Ghor, H., Ghor, M., & Katea, I. (2021). Intelligent transportation systems to mitigate road traffic congestion. *Intelligenza Artificiale*. 15(2):91-104.
- Hao, Q. & Qin, L. (2020). The design of intelligent transportation video processing system in big data environment. *Ieee Access*, 8, 13769-13780.
- Hardiyansyah, B., Sutikno, F., Zeibots, M., & Wijayaratna, K. (2023). Evaluation of accessibility commuter-line station with jitney transportation modes by using gis application-a case study of depok station. *Civil and Environmental Science*, 006(01), 43-55.
- He, C. (2023). Optimization of urban intelligent transportation travel service system based on feature extraction and traffic prediction. *Applied Mathematics and Nonlinear Sciences*, 9(1).
- Hirai, T. & Murase, T. (2020). Performance evaluations of pc5-based cellular-v2x mode 4 for feasibility analysis of driver assistance systems with crash warning. *Sensors*, 20(10), 2950.
- Hoang, C. (2020). Analytical support for logistics processes and transport management in smart city. *Civil Engineering and Architecture*, 8(6), 1390-1394.
- Hu, M., Lin, H., Wang, J., Xu, C., Tatem, A., Meng, B., & Lai, S. (2020). Risk of coronavirus disease 2019 transmission in train passengers: an epidemiological and modeling study. *Clinical Infectious Diseases*, 72(4), 604-610.
- Iacobescu, C., Oltean, G., Florea, C., & Burtea, B. (2021). Unified interplanetary smart parking network for maximum end-user flexibility. *Sensors*, 22(1), 221.
- Ibanez, J., Zeadally, S., & Contreras-Castillo, J. (2018). Sensor technologies for intelligent transportation systems. *Sensors*, 18(4), 1212.
- Jameel, F., Javed, M., Zeadally, S., & Jantti, R. (2021). Efficient mining cluster selection for blockchain-based cellular v2x communications. *Ieee Transactions on Intelligent Transportation Systems*, 22(7), 4064-4072.
- Javed, A., Malhi, A., & Framling, K. (2020). Edge computing-based fault-tolerant framework: a case study on vehicular networks. *2020 International Wireless Communications and Mobile Computing (IWCMC)*, Limassol, Cyprus, 1541-1548.
- Jayaprakash, P. O., Babu, M. M., Reddy B. D. & Lessly S. H. (2023). An intelligent traffic system based on internet of vehicles using adaptive traffic

management algorithm. *International Journal of Intelligent Engineering and Systems*, 16(6), 838-849.

Jiao, Z. & Huang, M. (2020). Traffic flow forecast through time series analysis based on deep learning. *Ieee Access*, 8, 82562-82570.

Joshi, N., Mittal, M., Jayawant, Y., Salunkhe, P., & Hattarge, M. (2021). Applying systems engineering framework for architecting a smart parking system within a smart city. *Incose International Symposium*, 31(1), 16-30.

Khalid, I. (2024). Optimizing hybrid v2x communication: an intelligent technology selection algorithm using 5g, c-v2x pc5 and dsrc. *Future Internet*, 16(4), 107.

Khurana, N., Mittal, S., Piplai, A., & Joshi, A. (2019). Preventing poisoning attacks on ai based threat intelligence systems. *IEEE 29th International Workshop on Machine Learning for Signal Processing*, Pittsburgh, PA, USA, 1-6.

Kim, J. & Hong, S. (2016). Study on the privacy-preserving vehicular pki in autonomous driving environments. *Contemporary Engineering Sciences*, 9, 619-625.

Komarova, O. (2021). Methodological aspects of the institutional analysis of the level of regional infrastructure development. *E3s Web of Conferences*, 296, 03009.

Kwon, S., Seo, J., Yun, J., & Kim, K. (2021). Driving behavior classification and sharing system using cnn-lstm approaches and v2x communication. *Applied Sciences*, 11(21), 10420.

Lile, D. (2023). Empowering recreation in urban parks using digital solutions: a proposed framework for smart urban parks in the city of tirana.

Liu, Y. (2023). Swin-apt: an enhancing swin-transformer adaptor for intelligent transportation. *Applied Sciences*, 13(24), 13226.

Maaroufi, M., Stour, L., & Agoumi, A. (2021). Striving for smart mobility in morocco: a case of lanes designated to heavy goods vehicles in casablanca. *Engineering Management in Production and Services*, 13(1), 74-88.

Maciejewski, M., Bischoff, J., & Nagel, K. (2016). An assignment-based approach to efficient real-time city-scale taxi dispatching. *Ieee Intelligent Systems*, 31(1), 68-77.

Maksimchuk, O., Borisova, H., Panov, D., & Voronkova, G. V. (2022). Sustainable development of road transport infrastructure by including elements of reverse traffic in the "smart city" program. *Iop Conference Series Earth and Environmental Science*, 988(2), 022072.

- Mane, D., Kumbharkar, P., Earan, N., Patil, K., Bonde, S., & Uke, N. (2023). A research survey on real-time intelligent traffic system. *International Journal of Emerging Technology and Advanced Engineering*, 13(4), 36-51.
- Merkert, R., Bushell, J., & Beck, M. (2020). Collaboration as a service (caas) to fully integrate public transportation – lessons from long distance travel to reimagine mobility as a service. *Transportation Research Part a Policy and Practice*, 131, 267-282.
- Mustakim, H. (2020). 5g vehicular network for smart vehicles in smart city: a review. *Journal of Computer Electronic and Telecommunication*, 1(1).
- Naderpour, M., Meskanen, T., Paverd, A., & Niemi, V. (2017). Auditable de-anonymization in v2x communication. *Journal of Ict Standardization*, 5(1), 51-106.
- Nag, D., Bs, M., & Goswami, A. (2019). Framework for public transport integration at railway stations and its implications for quality of life. *SSRN Electronic Journal*.
- Naik, G., Choudhury, B., & Park, J. (2019). Ieee 802.11bd & 5g nr v2x: evolution of radio access technologies for v2x communications. *Ieee Access*, 7, 70169-70184.
- Namazi, E., Li, J., & Lu, C. (2019). Intelligent intersection management systems considering autonomous vehicles: a systematic literature review. *Ieee Access*, 7, 91946-91965.
- Namazi, E., Mester, R., Lu, C., & Li, J. (2022). Geolocation estimation of target vehicles using image processing and geometric computation. *Neurocomputing*, 499, 35-46.
- Ning, S. (2021). Intelligent transportation system planning in the age of artificial intelligence. *E3s Web of Conferences*, 253, 01036.
- Otchere, P. & Opare, W. (2019). Design and construction of an authorized car parking alert system. *Saudi Journal of Engineering and Technology*, 04(12), 522-534.
- Pan, H., Huang, Z., & He, Z. (2017). Research on architecture of intelligent transportation cloud platform for guangxi expressway. *5th international conference on computer-aided design, manufacturing, modeling and simulation (cdmms 2017)*.
- Petrov, V., Andreev, S., Gerla, M., & Koucheryavy, Y. (2018). Breaking the limits in urban video monitoring: massive crowd sourced surveillance over vehicles. *Ieee Wireless Communications*, 25(5), 104-112.

- Pham, T., Tsai, M., Nguyen, D., Dow, C., & Deng, D. (2015). A cloud-based smart-parking system based on internet-of-things technologies. *Ieee Access*, 3, 1581-1591.
- Premkumar, S. & Saminadan, V. (2015). Performance analysis of wlan-wimax smart distribution grid. *International Journal of Engineering Research And*, V4(08).
- Raja, G., Manaswini, Y., Vivekanandan, G., Sampath, H., Dev, K., & Bashir, A. (2020). Ai-powered blockchain - a decentralized secure multiparty computation protocol for iov, *IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS)*, Toronto, ON, Canada, 865-870.
- Rakhmatulloh, A., Dewi, D., & Andini, T. (2021). Route integration of semarang trans feeder for the city of semarang and surroundings. *Astonjadro*, 10(2), 249.
- Razizadeh, S. (2023). The adoption of artificial intelligence-based systems in the development of public transportation in auckland. *Rere Āwhio - The Journal of Applied Research and Practice*, (3), 19-25.
- Rifai, A. & Arifin, F. (2020). Analysis of the level of passenger satisfaction with services and transport facilities-based integration in jakarta. *Journal of World Conference (Jwc)*, 2(2), 66-73.
- Riki, R., Widyarto, S., Kahar, S., & Hariyanto, S. (2020). Smart city comprehension in community development. *Proceedings of the Proceedings of the Third Workshop on Multidisciplinary and Its Applications, WMA-3 2019*, 11-14 December 2019.
- Ristama, H. (2023). The utilization of intelligent traffic systems for managing traffic problems in tourism areas: a literature review. *Deviance Jurnal Kriminologi*, 7(1),
- Rizvi, S., Zehra, S., & Olariu, S. (2019). Aspire: an agent-oriented smart parking recommendation system for smart cities. *Ieee Intelligent Transportation Systems Magazine*, 11(4), 48-61.
- Rizwan, M., Khalid, N., Ahmed, M., & Gilani, A. (2019). Park my ride: your true parking companion. *Lahore Garrison University Research Journal of Computer Science and Information Technology*, 3(1), 57-62.
- Roman, C., Liao, R., Ball, P., Ou, S., & Heaven, M. (2018). Detecting on-street parking spaces in smart cities: performance evaluation of fixed and mobile sensing systems. *Ieee Transactions on Intelligent Transportation Systems*, 19(7), 2234-2245.

- Sani, N. (2020). Integration of unimap's student bus routing towards free city-bus service local people in perlis. *Quantum Journal of Social Sciences and Humanities*, 1(5), 55-68.
- Savin, G. (2021). Information support of the flow processes in the smart city transport and logistics system: methodology basis. *E3s Web of Conferences*, 270, 01017.
- Scarinci, R., Markov, I., & Bierlaire, M. (2017). Network design of a transport system based on accelerating moving walkways. *Transportation Research Part C Emerging Technologies*, 80, 310-328.
- Sen, P. (2021). Optimization of traffic flow using intelligent transportation systems. *Mathematical Statistician and Engineering Applications*, 70(1), 720-727.
- Shawly, T., Alsheikhy, A., Said, Y., & Lahza, H. (2022). An effective approach for smart parking management. *Ingenierie Des Systèmes D Information*, 27(5), 783-789.
- Sangeetha, R. G., Hemanth, C., Dipesh, R., Samriddhi, K., Venetha, S., Abbas Alif, M., Arjun, S. & Varshithram, K. S. (2024). Density Based Real-time Smart Traffic Management System along with Emergency Vehicle Detection for Smart Cities. *Int. J. ITS Res.* 22, 328–338.
- Smith, G., Sochor, J., & Karlsson, M. (2018). Mobility as a service: development scenarios and implications for public transport. *Research in Transportation Economics*, 69, 592-599.
- Sochor, J. (2015). Implementing mobility as a service. *Transportation Research Record Journal of the Transportation Research Board*, 2536(1), 1-9.
- Su, X. (2023). A latent-factor-model-based approach for traffic data imputation with road network information. *Isprs International Journal of Geo-Information*, 12(9), 378.
- Sumalatha, V., Dingari, M., & Jayalakshmi, P. (2019). Short term road traffic flow forecasting using artificial neural network. *International Journal of Recent Technology and Engineering*, 8(3), 7998-8000.
- Tal, I., Zhu, T., & Muntean, G. (2013). Short paper: on the potential of v2x communications in helping electric bicycles saving energy. *IEEE Vehicular Networking Conference*, Boston, MA, 218-221.
- Tzvetkova, S. (2020). Increasing the social effectiveness of public transport in the city of sofia. *International Journal for Quality Research*, 14(1), 79-92.
- Vallati, M., Scala, E., & Chrpa, L. (2021). A hybrid automated planning approach for urban real-time routing of connected vehicles. *IEEE International Intelligent Transportation Systems Conference (ITSC)*, Indianapolis, IN, USA, 3821-3826.

- Wang, J., Jiang, C., Han, Z., Ren, Y., & Hanzo, L. (2018). Internet of vehicles: sensing-aided transportation information collection and diffusion. *Ieee Transactions on Vehicular Technology*, 67(5), 3813-3825.
- Yang, H., Dillon, T., & Chen, Y. (2015). Evaluation of recent computational approaches in short-term traffic forecasting., 108-116.
- Yun, H., Lee, E., Moon, S., & Kim, D. (2023). Data-driven approach for measuring and managing physical distancing in subways during pandemic conditions. *Transportation Research Record Journal of the Transportation Research Board*, 2678(5), 588-600.
- Zhang, X. (2014). Path reconstruction of intelligent traffic based on positive feedback system. *Applied Mechanics and Materials*, 513-517, 3160-3164.
- Zheng, S., Wang, J., Zhang, Y., Yin, H., Hua, H., & Zhong, Y. (2023). Locality-aware spatial-temporal attention neural network with contrast learning for traffic flow prediction. *Proc. SPIE 12708, 3rd International Conference on Internet of Things and Smart City*.
- Zheng, Z. (2019). Blockchain intelligence: when blockchain meets artificial intelligence. *Cryptography and Security*, ArXiv:1912.06485.

Internet References

- URL1:https://www.lta.gov.sg/content/dam/ltagov/getting_around/driving_in_singapore/intelligent_transport_systems/pdf/smartmobility2030.pdf
- URL2:<http://www.libelium.com/saving-water-with-smart-irrigation-system-in-barcelona/>

Chapter 2

SCENARIO WRITING AS A STRATEGIC TOOL IN URBAN AND REGIONAL PLANNING

Mehmet Akif SAĞ¹

¹ Assistant Professor, Konya Technical University, Faculty of Architecture and Design, Department of Urban and Regional Planning, Konya, Turkey, masag@ktun.edu.tr, ORCID: 0000-0002-6669-4012"

INTRODUCTION

The future is fraught with uncertainties for urban planning. Factors such as economic fluctuations, demographic shifts, technological innovations, and environmental challenges make it difficult to accurately predict the shape of cities to come. Despite these uncertainties, strategic spatial planning requires flexible and comprehensive approaches to help cities achieve their long-term goals. Scenario writing plays a critical role in addressing these challenges within urban and regional planning processes.

More than merely analyzing current conditions, scenario writing enables the development of strategic predictions about potential opportunities and threats. Planners use this method to navigate uncertainties by combining different types of scenarios, normative, exploratory, and predictive with forecast techniques such as the Delphi method, trend analysis, and STEEP/PESTLE. Additionally, templates like Four Square Scenarios, Cross-Impact Matrix, Timeline Scenarios, and Stakeholder Scenarios serve as essential tools for data analysis and scenario structuring.

This paper aims to provide a comprehensive understanding of scenario writing in both theoretical and practical contexts. By systematically discussing the main scenario types, forecast methods, and scenario templates, it seeks to highlight the importance of scenario writing in managing uncertainty and supporting planners' decision-making processes.

CHAPTER ONE: MAIN SCENARIO TYPES

1. Normative Scenarios

Normative scenarios are created to realize a desired future state or goal (Börjeson, Höjer, Dreborg, Ekvall, & Finnveden, 2006). Developed in alignment with a specific vision, policy, or objective, these scenarios provide strategic guidance on how to achieve an ideal outcome in planning processes (Godet, 2000). Their defining characteristic is their forward-looking nature. Rather than describing current conditions, they outline what we aspire to achieve. For instance, a city might create a normative scenario to envision a carbon-neutral future, identifying actionable steps to reduce emissions and promote renewable energy. Such scenarios are particularly useful in aligning efforts with long-term strategic objectives (Van Notten, Rotmans, Van Asselt, & Rothman, 2003).

In urban and regional planning, normative scenarios contribute to the development of local and regional development strategies in line with long-term goals (Albrechts, 2004). For example, specific goals, such as a city becoming carbon neutral by 2050, are shaped through normative

scenarios (Bulkeley & Betsill, 2005). These scenarios guide planners and decision makers in determining the necessary steps to achieve the desired future and increase the effectiveness of strategic planning (Hopkins & Zapata, 2007).

2. Exploratory Scenarios

Exploratory scenarios aim to investigate possible future situations based on current trends and conditions (Börjeson et al., 2006). Developed to explore uncertainties and risks, these scenarios address the question of what outcomes might occur under varying future conditions (Van Notten et al., 2003). The exploratory approach adopts an open-ended perspective, enabling predictions about potential futures by analyzing trends and variables (Godet, 2000).

In urban and regional planning, exploratory scenarios identify risks and opportunities, allowing planners to develop proactive strategies for managing uncertainty (Rotmans et al., 2000). For instance, by analyzing factors like population growth, economic development, and climate change, planners can envision how these elements might shape a region over the next 20 years. This approach helps planners anticipate potential challenges, such as infrastructure demands, or capitalize on opportunities, such as sustainable economic growth (Glenn & Gordon, 2009). Ultimately, exploratory scenarios equip planners to respond strategically to future changes and uncertainties (Wack, 1985).

3. Predictive Scenarios

Predictive scenarios forecast future developments based on current data and past trends (Börjeson et al., 2006). Their primary aim is to predict the future as accurately as possible. These scenarios are typically created using analytical models and statistical data, operating on the assumption that current conditions will persist (Godet & Roubelat, 1996). By examining historical and present data, predictive scenarios allow planners to make data-driven forecasts and more precise decisions in the planning process (Bradfield, Wright, Burt, Cairns, & Van Der Heijden, 2005).

In urban and regional planning, predictive scenarios help planners anticipate future needs. For instance, they can project changes in population growth rates by 2030 based on existing trends. These forecasts are essential for estimating future infrastructure, transportation, and housing requirements, providing planners with concrete data to guide strategic decisions. By assuming the continuation of current trends, predictive scenarios play a crucial role in strategic planning, offering valuable insights for addressing future challenges and opportunities.

4. Possibilities of Using Scenario Types Together

In planning processes, it is important to not only predict future developments but also to determine which objectives can be achieved under specific conditions and to address uncertainties (Börjeson et al., 2006). In this context, combining predictive, exploratory, and normative scenarios often leads to more comprehensive and effective results. For instance, when planning a city's transport system, predictive scenarios can use available data to estimate future population and traffic growth. Simultaneously, exploratory scenarios can assess how unexpected events, such as climate change or technological advancements, might impact transport infrastructure (Banister & Hickman, 2013). Finally, normative scenarios can outline a vision for a desired future state, such as sustainable and green transportation, and develop strategies to achieve that goal (Hickman & Banister, 2007).

Combining just two types of scenarios can also be effective. For example, a predictive scenario can identify future trends based on existing data, while a normative scenario can outline strategies to achieve specific goals (Alcamo, 2008). Consider a city's energy infrastructure: a predictive scenario might forecast energy consumption trends, while a normative scenario could demonstrate how the city might achieve carbon neutrality by 2050 by increasing renewable energy usage (Grübler, Nakićenović, & Victor, 1999).

In some cases, using a single scenario method may be appropriate. A normative scenario, for instance, is ideal when the focus is on achieving a specific target (Robinson, 1990). Similarly, a predictive scenario is sufficient when assuming current trends will continue (Makridakis, Hogarth, & Gaba, 2009). However, when uncertainty is high, an exploratory scenario is best suited for identifying possible paths and providing strategic flexibility (Van Notten et al., 2003).

The integration of multiple scenario methods offers significant advantages in urban and regional planning. It enables planners to understand current trends while preparing for uncertainties (Börjeson et al., 2006). By combining approaches, planners can create flexible strategies to achieve desired outcomes, resulting in a more comprehensive planning process (Van Notten et al., 2003).

Although the future is inherently uncertain, combining scenario methods creates more resilient and adaptive plans to address different possibilities (Rotmans et al., 2000). This flexibility strengthens strategic decision-making and equips planners to respond effectively to complex challenges. In urban planning, relying on a single method is often insufficient (Godet & Roubelat, 1996). By integrating predictive,

exploratory, and normative scenarios, planners can develop more realistic, actionable, and future-ready solutions (Alcamo, 2008). This multifaceted approach enhances the effectiveness and outcome orientation of planning processes (Robinson, 1990).

5. Benefits of Writing the Same Topic According to Different Scenario Types (Creating Alternative Scenarios)

Analyzing the same topic through different scenario types offers several significant benefits. Firstly, this approach provides a multifaceted perspective, allowing each scenario type to explore a unique aspect of the issue and offer distinct strategic approaches (Van Notten et al., 2003). This enables planners and decision-makers to develop deeper and more comprehensive insights.

Secondly, the planning process often involves high levels of uncertainty and numerous variables. Addressing the same issue with different scenario types helps manage these uncertainties and prepare for the future (Börjeson et al., 2006). By addressing risks and unknowns from multiple perspectives, these scenario types enhance flexibility and contribute to more resilient planning processes (Rotmans et al., 2000).

Finally, integrating different scenario types fosters a more inclusive planning approach. For example, a normative scenario may focus on achieving specific goals, while exploratory and predictive scenarios account for future risks and possibilities, increasing the likelihood of success (Alcamo, 2008). This combined method effectively balances goal-oriented planning with the need to navigate uncertainties, resulting in flexible and adaptive strategies for the future (Robinson, 1990).

In summary, analyzing the same planning issue through multiple scenario types offers a more nuanced and comprehensive approach. Each scenario type addresses the issue from a unique perspective, creating a robust framework for managing uncertainties and developing resilient, adaptive plans for the future (Godet & Roubelat, 1996).

CHAPTER TWO: METHODOLOGIES FOR FUTURE FORECASTING

1. Delphi Method: A Systematic Approach to Predicting the Future

The Delphi method is a systematic, interactive approach to forecasting that addresses uncertainties and complex problems (Linstone & Turoff, 2002). Its primary purpose is to gather expert opinions from diverse fields and build consensus to make informed predictions about the future. This method is particularly valuable in long-term strategic planning and policy

development processes (Okoli & Pawlowski, 2004).

A key feature of the Delphi method is that experts express their views independently and anonymously, minimizing biases and pressures caused by group dynamics (Rowe & Wright, 1999). Through this process, experts share their insights, receive feedback, and refine their perspectives based on the collective input. This iterative cycle enhances the accuracy and effectiveness of the final results (Hsu & Sandford, 2007).

1.1. Expert Selection and Criteria

The success of the Delphi method depends on selecting the right experts. Experts' knowledge and experience directly influence the accuracy of predictions and the efficiency of the process (Adler & Ziglio, 1996). Selection should be guided by specific criteria.

Firstly, relevant expertise is essential. Most studies require input from multiple disciplines. For instance, an urban planning project benefits from the perspectives of urban planners, sociologists, economists, environmental scientists, and engineers (Day & Bobeva, 2005). This interdisciplinary diversity ensures the issue is examined from multiple angles, leading to more comprehensive results. Experts should possess deep knowledge and substantial experience in their field, demonstrated through academic research, industry experience, or contributions to past projects (Skulmoski, Hartman, & Krahn, 2007). Combining theoretical expertise from academics with practical insights from professionals enhances the validity of results by balancing diverse perspectives.

Independence and impartiality are also critical. Experts must be free to express their opinions without influence from personal or institutional interests. The anonymity of the Delphi process minimizes group pressure and promotes honest, unbiased judgments (Rowe & Wright, 2011).

Furthermore, diversity in perspectives enriches the process. Including experts from various sectors such as academics, local government, public institutions, and private organizations can provide a well-rounded understanding of different needs and expectations (Powell, 2003). For example, in urban planning, incorporating voices from both policymakers and community representatives ensures the process addresses a broad spectrum of concerns.

Finally, experts must be willing and motivated to actively participate throughout the Delphi process, which typically involves multiple rounds. They should be able to commit sufficient time to provide thoughtful feedback, as the quality of input directly affects the accuracy of the results (Okoli & Pawlowski, 2004).

The number of participants depends on the scope and complexity of the topic, with 10–50 experts considered ideal (Okoli & Pawlowski, 2004). For interdisciplinary projects, ensuring balanced representation from each field is crucial. Inviting additional experts at the start can account for potential dropouts, maintaining the robustness of the process (Skulmoski et al., 2007).

1.2. Delphi Method Stages

The Delphi method is a systematic, anonymous tool for collecting and analysing expert opinions in strategic future planning (Linstone & Turoff, 2002). The method involves several critical stages to ensure the accuracy and validity of the results.

In the first stage, experts from various disciplines are selected to analyse the city's future development. For example, predicting how a city's transport system will evolve by 2050 requires the input of urban planners, transport engineers, environmental scientists, economists, and sociologists (Rowe & Wright, 1999). This interdisciplinary approach ensures the issue is examined from multiple perspectives, leading to more comprehensive results (Okoli & Pawlowski, 2004).

The first round involves experts answering open-ended questions, such as: “*What will the structure of the city's transport system look like in 2050?*” or “*How might current transport challenges evolve in the future?*” Participants independently share their forecasts and detailed insights (Hsu & Sandford, 2007). The data collected in this round are analysed to identify common themes, key trends, and possible contradictions. For instance, while some experts predict the widespread adoption of electric and autonomous vehicles, others may highlight the growing importance of public transport systems. Environmental scientists might draw attention to the sustainability challenges of future transport options (Skulmoski et al., 2007).

In the second round, results from the first round are compiled anonymously and shared as feedback. Experts then re-evaluate their views based on the insights of other participants. For example, an expert initially skeptical about the adoption of electric vehicles due to infrastructure challenges might revise their opinion after reviewing optimistic forecasts from other participants. At this stage, experts are asked to provide more specific answers to focused questions, such as: “*What percentage of urban transport will consist of electric and autonomous vehicles by 2050?*” (Adler & Ziglio, 1996).

The second round data are analysed again to identify areas of emerging consensus and remaining disagreements. For instance, while most experts

may agree on increased demand for public transport by 2050, opinions might still differ on the future of private car use (Rowe & Wright, 2011).

In the third round, experts respond to questions based on the finalised results and provide their final judgements on unresolved issues. For example: “*Will public transport or individual transport dominate urban mobility in 2050? Please justify.*” This stage aims to build consensus on as many issues as possible while understanding the reasons for any remaining differences.

At the end of all rounds, the collected data are compiled into a comprehensive report. The report highlights consensus points, such as the expected increase in public transport demand and the importance of sustainable transport systems. It also details ongoing disagreements, such as the prevalence of autonomous vehicles or the future of private car use. Recommendations from experts such as strengthening public transport infrastructure, expanding bike and pedestrian routes, and increasing charging stations for electric vehicles are included. This report provides decision-makers with a clear guide for future planning and supports the development of proactive strategies for the city’s transport system.

1. Trend Analysis

Trend analysis is a key method for forecasting in urban planning and regional development (Armstrong, 2001). By examining past data, it identifies future trends and provides valuable insights for strategic decision-making. Factors such as urban growth dynamics, population changes, economic developments, and environmental conditions form the foundation of this approach, enabling planners to create more informed and effective plans.

This method aids in forecasting housing, infrastructure, and service needs by analysing demographic trends, population growth, and migration patterns. For instance, in a city where the population grows by 2% annually, future needs can be anticipated if this growth continues. Economic trend analysis helps guide planning for economic growth and infrastructure investments by examining sectoral developments and employment rates. For example, in a city with rising industrial production, planners can anticipate future demands for industrial areas and workforce.

Tracking environmental trends helps cities identify potential challenges, such as climate change and water resource depletion. For example, in a city with increasing water consumption, trend analysis can guide water resource management to mitigate risks of scarcity. Similarly, analysing transport and infrastructure trends allows planners to address future needs by evaluating traffic density and infrastructure capacity.

For instance, traffic data can inform improvements in public transport systems or direct investments in infrastructure upgrades.

1.1. Trend Analysis Process

Trend analysis begins by collecting historical data to project future developments. Accurate and timely data are critical for ensuring reliable analysis results (Makridakis et al., 2009).

The collected data are analysed using graphs and visualization techniques. For instance, population growth trends can be visualized with line graphs to create future projections. Similarly, economic and environmental changes can be represented graphically, offering decision-makers a clear framework for analysis (Batty, 2008).

These analyses enable future projections based on past trends. For example, a city's population in 2030 can be estimated by examining current population growth rates. Similarly, economic trend analysis can highlight sectors with growth potential, allowing planners to anticipate future industrial or employment needs (Armstrong, 2001).

Traditional trend analysis is an effective method for forecasting future developments using existing data. However, when integrated into a vision-driven framework, it becomes a more targeted and meaningful tool for planning. The next section will explore the added value of vision-driven trend analysis.

1.2. Importance of Vision-Driven Trend Analysis

Strategic spatial planning is based not only on analyzing the current situation but also on interpreting existing data in line with the vision set for the area being planned. This approach goes beyond predicting the future based on past trends by linking data to the planned vision. In this context, vision-oriented trend analysis involves not just analyzing data but also reinterpreting it to align with the planned future (Healey, 1997).

While all available data are valuable, certain data become more strategic based on their relevance to the vision. For example, if a city's vision includes sustainability, population growth data should be analyzed in relation to environmental indicators such as water consumption, energy use, and green space requirements, rather than being considered in isolation. This process can be seen as a form of data processing, where relevant data are selected strategically, and indirect links are made between them and other data that may seem unrelated to the vision. For instance, analyzing the relationship between energy consumption and public transport use can help understand the impact of sustainable transport policies on urban energy (Batty, 2008).

Vision-driven trend analysis is not just a passive assessment of existing data. It generates new, vision-oriented insights and makes strategic inferences for the future based on this information. For example, although there may be no direct relationship between economic growth and environmental sustainability, establishing connections between these dynamics within the vision framework enables the development of economic strategies that support sustainable development (Armstrong, 2001).

As a result, vision-driven trend analysis strengthens strategic planning by uncovering relationships between data and aligning them with planned goals. This approach allows planners to generate meaningful, vision-oriented information from large data sets. Thus, analyzing past and current data becomes a powerful tool for making informed and sustainable decisions for the future (Wegener, 2004).

2. STEEP/PESTLE Analysis and its Importance in Strategic Spatial Planning

STEEP and PESTLE analyses are effective tools for developing future foresight and understanding complex systems in strategic planning (Yüksel, 2012). These methods identify opportunities and threats that cities and regions may face by systematically assessing social, political, economic, environmental, technological, and legal factors. In projects with high levels of uncertainty, STEEP/PESTLE analyses enable the creation of sustainable, long-term strategies.

STEEP analysis focuses on social (S), technological (T), economic (E), environmental (E), and political (P) factors, while PESTLE expands this framework by including legal (L) dimensions. Both approaches are powerful for assessing future trends and potential impacts. For example, they allow planners to analyze how social changes influence economic growth and environmental sustainability in a more holistic way (Christodoulou & Cullinane, 2019).

These methods play a critical role in shaping long-term visions and preparing city administrations for the future. By systematically analyzing the economic effects of political decisions, the social impacts of technological advancements, and the legal implications of environmental changes, planners can make well-informed decisions. This creates a robust framework for managing risks and capitalizing on opportunities in strategic planning.

The first step in the process is identifying key social, technological, economic, environmental, political, and legal variables that may influence future urban development. Social factors include demographic

changes, population growth, migration dynamics, and the state of social services. Technological factors involve innovations in transport systems or energy efficiency. Economic indicators such as sectoral development and unemployment rates reveal the city's economic structure, while environmental factors address climate change, resource use, and sustainability. Political and legal factors examine the influence of government policies, local decisions, and regulations on urban planning.

The second step involves assessing how these variables directly and indirectly affect the planning process. For example, analyzing demographic trends helps planners address pressures from rapid population growth, such as housing demand and the need for education and healthcare infrastructure. Technological analysis identifies steps for integrating smart city technologies or automated transport systems. Environmental analysis supports the development of sustainable solutions to climate change and resource protection, while political and legal analysis evaluates the impact of public policies and regulations on project feasibility (Gupta, 2013).

Finally, the third step develops scenarios based on these analyses to prepare for future uncertainties. For instance, technological scenarios may predict widespread adoption of electric vehicles, requiring adjustments in energy infrastructure and urban design. Environmental scenarios might address water scarcity caused by climate change, prioritizing policies for resource management and green space preservation. Social scenarios could involve planning for increased housing, transport, and social services in response to migration. These scenarios enhance flexibility and enable cities to proactively achieve their long-term goals (Perera, 2017).

In conclusion, STEEP/PESTLE analyses strengthen planning processes by building scenario writing on a scientific foundation. In uncertain environments, these methods enable the development of flexible, sustainable strategies while enriching strategic planning and offering insights into future dynamics.

CHAPTER THREE: SCENARIO TEMPLATES

1. Four Square Scenario Template

The Four Square Scenario method is a key tool for addressing uncertainties in scenario writing. This approach identifies major uncertainties in planning processes and analyzes their interactions. The method's core concept is to create four distinct future scenarios by placing two independent key variables on a coordinate system (Schwartz, 1997).

The Four Square Scenario process typically involves the following steps:

i. Selection of Key Variables:

The first step is identifying the two most critical and uncertain factors relevant to the issue being studied. These factors should have a high degree of uncertainty and a significant impact on planning outcomes. For example, in urban planning, key variables might include economic growth and the pace of technological progress.

ii. Polarity of Variables:

Each selected variable is assigned two opposing extremes. For instance, economic growth could be categorized as “high growth” and “low growth,” while technological progress might be defined as “rapid progress” and “slow progress.”

iii. Constructing the Four Square Matrix:

The two variables are plotted on a matrix, forming four intersection points. Each quadrant represents a unique future scenario. For example:

- High Economic Growth / Rapid Technological Progress: An innovative, fast-growing city.
- High Economic Growth / Slow Technological Progress: A city where economic growth outpaces technological development.
- Low Economic Growth / Rapid Technological Progress: A scenario where technological innovation is insufficient to support economic growth.
- Low Economic Growth / Slow Technological Progress: A static city structure with limited development.

iv. Development of Scenarios:

Each quadrant is developed into a detailed story or scenario. These scenarios provide insights into future opportunities, risks, and strategic requirements.

The Four Square Scenario approach helps planners and decision-makers prepare for multiple potential futures. By clarifying the impact of critical variables, it supports more informed and strategic decision-making. Additionally, understanding the probabilities and potential effects of different scenarios enables planners to craft flexible, adaptive plans to navigate uncertainty (Bradfield et al., 2005).

2. Cross-Effect Matrix Scenario Template

The Cross-Effect Matrix is a method used to analyze the relationships between future events and the likelihood of these relationships occurring. Rather than evaluating events in isolation, this approach examines how they influence one another. It is particularly effective for understanding

the dynamics of complex systems and creating comprehensive future scenarios (Godet, 2000).

This method is typically applied in the following steps:

i. Identification of Critical Events:

The first step is to identify key events or variables to be analyzed. These may include critical uncertainties or trends that significantly impact planning. For example, in urban planning, events such as an economic crisis, population growth, energy demand, or technological innovations can be selected.

ii. Creating the Cross-Impact Matrix:

The selected events are arranged in rows and columns within a matrix. Each cell represents the potential impact of one event on another. These impacts are measured using either numerical values (e.g., a scale from 0 to 5) or qualitative ratings (e.g., 'high,' 'medium,' 'low').

iii. Assessment of Impacts:

The relationships between events are analyzed to identify their interactions. For instance:

- Could an economic crisis reduce energy demand?
- Does population growth increase pressure on infrastructure?
- Do technological innovations enhance environmental sustainability by improving energy efficiency?

iv. Determination of Probabilities:

Each relationship in the matrix is evaluated based on probabilities, helping to estimate the likelihood of events and their cascading effects. For example, if an economic crisis occurs, there is a high probability that infrastructure investment will slow down.

v. Interpretation of Results:

The analyzed relationships generate data for scenario development, enabling planners to understand how future events may unfold and interact.

By clarifying the complex interactions between future events, the Cross-Effect Matrix supports the creation of realistic and actionable scenarios. This method systematically assesses the links between events, helping planners not only anticipate individual outcomes but also understand their chain effects.

The Cross-Effect Matrix's greatest strength is its ability to systematically analyze interdependencies between events. By offering a comprehensive perspective, it enhances planning flexibility and helps anticipate unexpected consequences, making it a valuable tool in managing uncertainties and risks.

3. Timeline Scenario Template

Timeline Scenarios analyze the temporal progression of events and their impact on planning processes. This method enhances planning by examining how future changes unfold within specific timeframes, making planning processes more realistic and strategic. By predicting the sequence and timing of future events, it helps planners create flexible, effective strategies to achieve long-term goals (Bradfield et al., 2005).

Timeline Scenarios typically involve the following steps:

i. Determining the Temporal Framework:

The first step is to define the timeline the scenario will address, typically divided into short, medium, and long term periods. For example, in an urban planning project, timelines might span 5, 15, and 30 years.

ii. Identification of Critical Events and Trends:

Key events, trends, and changes expected within the defined time periods are identified. These may include population growth, economic development, technological advancements, or environmental changes.

iii. Creation of Temporal Development Scenarios:

The identified events and trends are placed on a timeline. For instance:

- Short term: Completion of a new transport project.
- Medium term: Increased pressure on infrastructure due to population growth.
- Long term: Decline in water resources due to climate change impacts.

iv. Identification of Temporal Priorities and Strategies:

These scenarios help establish priorities and strategies for achieving long-term goals. For example, infrastructure projects might be prioritized in the short term, while long-term investments focus on innovative technologies to ensure environmental sustainability.

Timeline Scenarios provide a roadmap for how events and changes may unfold over time. By integrating the time dimension, this method helps planners prioritize and allocate resources more effectively. It also

clarifies not only the impacts of events but the timeframes over which these impacts occur, enabling decision-makers to balance short, medium and long-term objectives.

By incorporating the temporal evolution of events, Timeline Scenarios add a realistic perspective to long-term planning processes. This dynamic framework allows planners to address uncertainties more effectively, ensuring that strategies remain adaptive and forward looking.

4. Stakeholder Scenarios Template

The Stakeholder Scenarios method develops inclusive and flexible scenarios by incorporating the perspectives of various stakeholder groups into the planning process. This approach integrates the perceptions, expectations, and priorities of diverse interest groups, enriching the scenario-writing process and increasing the applicability and acceptance of resulting strategies (Wright, Cairns, & Goodwin, 2009).

The Stakeholder Scenarios method typically includes the following steps:

i. Identification of Stakeholders:

The first step is to identify the stakeholder groups that will participate in the scenario writing process. These groups may include public institutions, private sector representatives, non-governmental organizations, local communities, and academia. Each stakeholder contributes unique expertise, interests, or experiences to the process.

ii. Ensuring Stakeholder Participation:

Once stakeholders are identified, they are engaged through workshops, surveys, or focus group meetings. These activities allow participants to share their needs, expectations, and perspectives on potential challenges.

iii. Integration of Stakeholder Perspectives:

After collecting stakeholder input, these perspectives are synthesized into the development of scenarios. For example, in a transport plan, public institutions may prioritize infrastructure requirements, while local communities focus on accessibility. Combining these views leads to more comprehensive and realistic scenarios.

iv. Creating Different Scenarios:

Multiple scenarios are developed to reflect the priorities and perspectives of various stakeholder groups. This approach ensures that strategic options address the needs of different groups, enhancing the inclusivity and adaptability of the scenarios.

Stakeholder Scenarios are particularly valuable in addressing complex, multidimensional planning issues. Engaging diverse stakeholders not only broadens the knowledge base but also makes decision-making processes more democratic. Moreover, incorporating stakeholder perspectives enhances the practicality of plans and ensures they are tailored to the local context.

The key advantage of this method is its promotion of plurivocality, ensuring diverse perspectives are included in the planning process. Active stakeholder involvement makes scenarios more comprehensive, widely accepted, and helps identify and resolve potential conflicts in advance.

5. Distinguishing Scenario Templates from Scenario Techniques and Their Role in the Planning Process

Distinguishing between scenario templates and techniques is crucial for effective scenario writing and analysis. While these concepts are closely related, clarifying their roles ensures a more structured and efficient approach to planning. Scenario templates provide structured frameworks for analyzing data and applying it to scenarios, whereas scenario techniques define how the scenarios are designed for specific purposes.

Scenario templates systematically structure data analysis, facilitating the integration of diverse perspectives into the planning process. Templates like Four-Quadrant Scenarios, Cross-Impact Matrix, Timeline Scenarios, and Stakeholder Scenarios help planners identify critical uncertainties, examine event relationships, and assess temporal changes. Importantly, these templates are versatile and can be applied within any scenario technique. For example, in exploratory scenario writing, the Four-Quadrant Scenarios template can explore possible future situations, while in normative scenario writing, the Cross-Impact Matrix helps evaluate critical interactions needed to achieve a specific goal.

Scenario techniques, on the other hand, establish the philosophy and methodology of the writing process. Normative scenarios outline steps to achieve a specific objective, exploratory scenarios investigate potential future possibilities, and predictive scenarios focus on forecasting future outcomes based on current trends and data. Templates complement these techniques by enabling data to be used more meaningfully. For instance, in predictive scenario writing, the Timeline Scenarios template models temporal changes more clearly.

In conclusion, templates and techniques are distinct yet complementary elements of scenario writing. Templates provide the tools for applying techniques, enabling multidimensional analysis and scenario development. By distinguishing the analytical role of templates from the

methodological role of techniques, planning processes can become more flexible, strategic, and effective.

CONCLUSION

Scenario writing in urban and regional planning is a vital tool for strengthening strategic decision making through a systematic approach to future uncertainties. This method helps planners understand future possibilities, manage risks, and seize opportunities. However, creating effective scenarios requires not only technical expertise but also rigorous analysis and the integration of diverse stakeholder contributions.

The flexibility and foresight of scenario writing provide an essential framework for cities to develop sustainable, adaptable strategies. This meticulous approach lays the foundation for resilient, future-ready planning.

REFERENCES

- Adler, M., & Ziglio, E. (1996). *Gazing into the oracle: The Delphi method and its application to social policy and public health*: Jessica Kingsley Publishers.
- Albrechts, L. (2004). Strategic (spatial) planning reexamined. *Environment and Planning B: Planning and design*, 31(5), 743-758.
- Alcamo, J. (2008). *Environmental futures: the practice of environmental scenario analysis* (Vol. 2): Elsevier.
- Armstrong, J. S. (2001). *Principles of forecasting: a handbook for researchers and practitioners* (Vol. 30): Springer.
- Banister, D., & Hickman, R. (2013). Transport futures: Thinking the unthinkable. *Transport Policy*, 29, 283-293.
- Batty, M. (2008). The size, scale, and shape of cities. *Science*, 319(5864), 769-771.
- Börjeson, L., Höjer, M., Dreborg, K.-H., Ekvall, T., & Finnveden, G. (2006). Scenario types and techniques: towards a user's guide. *Futures*, 38(7), 723-739.
- Bradfield, R., Wright, G., Burt, G., Cairns, G., & Van Der Heijden, K. (2005). The origins and evolution of scenario techniques in long range business planning. *Futures*, 37(8), 795-812.
- Bulkeley, H., & Betsill, M. (2005). Rethinking sustainable cities: Multilevel governance and the urban politics of climate change. *Environmental politics*, 14(1), 42-63.
- Christodoulou, A., & Cullinane, K. (2019). Identifying the main opportunities and challenges from the implementation of a port energy management system: A SWOT/PESTLE analysis. *Sustainability*, 11(21), 6046.
- Day, J., & Bobeva, M. (2005). A generic toolkit for the successful management of Delphi studies. *Electronic Journal of Business Research Methods*, 3(2), pp103-116-pp103-116.
- Glenn, J. C., & Gordon, T. J. (2009). *Futures research methodology: version 3.0*: Millennium Project Washington, DC.
- Godet, M. (2000). The art of scenarios and strategic planning: tools and pitfalls. *Technological Forecasting and Social Change*, 65(1), 3-22.
- Godet, M., & Roubelat, F. (1996). Creating the future: the use and misuse of scenarios. *Long range planning*, 29(2), 164-171.
- Grübler, A., Nakićenović, N., & Victor, D. G. (1999). Dynamics of energy technologies and global change. *Energy policy*, 27(5), 247-280.

- Gupta, A. (2013). Environment & PEST analysis: an approach to external business environment. *International Journal of Modern Social Sciences*, 2(1), 34-43.
- Healey, P. (1997). Traditions of planning thought. *Collaborative planning: Shaping places in fragmented societies*, 7-30.
- Hickman, R., & Banister, D. (2007). Looking over the horizon: Transport and reduced CO2 emissions in the UK by 2030. *Transport Policy*, 14(5), 377-387.
- Hopkins, L. D., & Zapata, M. (2007). Engaging the future: Forecasts, scenarios, plans, and projects. (*No Title*).
- Hsu, C.-C., & Sandford, B. A. (2007). The Delphi technique: making sense of consensus. *Practical assessment, research, and evaluation*, 12(1).
- Linstone, H. A., & Turoff, M. (2002). Delphi bibliography. *Journal Articles*, 14(54), 68.
- Makridakis, S., Hogarth, R. M., & Gaba, A. (2009). Forecasting and uncertainty in the economic and business world. *International Journal of Forecasting*, 25(4), 794-812.
- Okoli, C., & Pawlowski, S. D. (2004). The Delphi method as a research tool: an example, design considerations and applications. *Information & management*, 42(1), 15-29.
- Perera, R. (2017). The PESTLE analysis. *Nerdyneaut: Avissawella, Sri Lanka*.
- Powell, C. (2003). The Delphi technique: myths and realities. *Journal of Advanced Nursing*, 41(4), 376-382.
- Robinson, J. B. (1990). Futures under glass: a recipe for people who hate to predict. *Futures*, 22(8), 820-842.
- Rotmans, J., van Asselt, M., Anastasi, C., Greeuw, S., Mellors, J., Peters, S., . . . Rijkens, N. (2000). Visions for a sustainable Europe. *Futures*, 32(9-10), 809-831.
- Rowe, G., & Wright, G. (1999). The Delphi technique as a forecasting tool: issues and analysis. *International Journal of Forecasting*, 15(4), 353-375.
- Rowe, G., & Wright, G. (2011). The Delphi technique: Past, present, and future prospects—Introduction to the special issue. *Technological Forecasting and Social Change*, 78(9), 1487-1490.
- Schwartz, P. (1997). *Art of the long view: planning for the future in an uncertain world*: John Wiley & Sons.
- Skulmoski, G. J., Hartman, F. T., & Krahn, J. (2007). The Delphi method for graduate research. *Journal of Information Technology Education: Research*, 6(1), 1-21.

- Van Notten, P. W., Rotmans, J., Van Asselt, M. B., & Rothman, D. S. (2003). An updated scenario typology. *Futures*, 35(5), 423-443.
- Wack, P. (1985). Scenarios: uncharted waters ahead. *Harvard business review*, 63(5), 72-89.
- Wegener, M. (2004). Overview of land use transport models. In *Handbook of transport geography and spatial systems* (pp. 127-146): Emerald Group Publishing Limited.
- Wright, G., Cairns, G., & Goodwin, P. (2009). Teaching scenario planning: lessons from practice in academe and business. *European Journal of Operational Research*, 194(1), 323-335.
- Yüksel, I. (2012). Developing a multi-criteria decision making model for PESTEL analysis. *International Journal of Business and Management*, 7(24), 52.

Chapter 3

COMPARISON OF TEXT-TO-IMAGE GENERATIVE AI TOOLS FOR URBAN PORTRAITS: A CASE STUDY OF INVISIBLE CITIES BY USING STABLE DIFFUSION, DALL-E AND MIDJOURNEY

Özlem Kevserođlu¹

Rifat Kurban²

¹ Assist. Prof. Dr. Özlem Kevserođlu, Abdullah Gül University, Department of Architecture, Kayseri, Turkey, ozlem.kevseroglu@agu.edu.tr, 0000-0003-1828-225

² Assoc. Prof. Dr. Rifat Kurban, Abdullah Gül University, Department of Computer Engineering, Kayseri, Turkey, rifat.kurban@agu.edu.tr, 0000-0002-0277-2210

1. Introduction

Generative artificial intelligence (AI) including text-to-image tools, may become one of the core technologies for architects and urban planners. In this manner, they are foreseen to deal with how urban portraits are navigated and visualized. Practicing planners will benefit from visualizations as these are valuable tools for communication, comprehension, and decision making by eliminating gaps created by language over images. Such technologies allow planners and designers through the use of artificial intelligence algorithms to quickly create multiple artistic representations of any given text input, which assists the design stage. They also enhance the inclusion of users' needs and other disciplines' views in the design process which boosts the and inclusiveness of the cities' built environment. Hence the application of text-to-image tools and generative artificial intelligence has the potential to change the way experts carryout urban design by providing abundant resources which are limited by time and works themselves.

The field of architecture and urban planning is currently witnessing a growing integration of generative artificial intelligence (AI), which is fundamentally transforming conventional design methods and expanding the realm of possibilities. Generative AI in architecture refers to the application of AI techniques, such as generative adversarial networks (GANs) and deep learning models, to autonomously create designs, explore complex architectural forms, and optimize building functioning (As et al., 2018). Architects can efficiently explore numerous design alternatives using AI's ability to generate novel design concepts through the application of predetermined rules or datasets (Li et al., 2023). In addition to basic automation, generative AI is being employed in architecture and urban planning research to facilitate a significant expansion of architectural practice by enhancing both creativity and efficiency in the design process (Hegazy & Saleh, 2023). Architects may leverage the capabilities of AI to create intricate and innovative architectural solutions through the use of generative grammar, exploration of parametric design possibilities, and investigation of deep learning methodologies (Sadek, 2023). AI-powered technologies streamline the integration of intelligent design aspects, facilitate the creation of architectural ideas and shapes, and promote technical innovation in the sector.

No matter how promising generative AI in architecture may be, ethical considerations must always take precedence. It is critical to ethically employ AI in order to avoid negative consequences for human creativity and design ethics. The integration of generative AI into these domains signifies a significant transformation in the design process, enabling architects and planners to explore innovative methods, boost their creative output, and optimize their designs for maximum efficiency. With the help of AI, experts

can discover and test the boundaries of architectural innovation.

Generative AI models like DALL-E, Stable Diffusion, and Midjourney, which form visuals from text prompts, have greatly influenced architectural visual culture. DALL-E, Stable Diffusion, and Midjourney are the leaders in text-to-image production. They utilize state-of-the-art artificial intelligence algorithms to generate visually realistic graphics of superior quality based on textual inputs (Buehler, 2022). The models have demonstrated the potential to promote architectural creativity by assisting architects in rapidly and efficiently visualizing their concepts (Jeong et al., 2023). These models are transforming the architectural design process by allowing architects to translate verbal explanations of architectural concepts into visual representations (Steinfeld, 2023). Architects and planners now have a new tool at their disposal for effectively exploring design concepts and communicating architectural ideals thanks to the development of these text-to-image generative models (Adetayo, 2024). Architects can employ transformer models such as DALL-E and diffusion-based buildings to generate distinctive and realistic architectural renderings based on textual instructions (Ma et al., 2023). Architects can utilize generative diffusion models like DALL-E not only for image generation but also for investigating various design possibilities, providing visually coherent narratives, and expediting the prototyping of architectural ideas (Singh et al., 2021). The field of architectural visualization has made significant progress due to these models' impressive capabilities in creating pictures based on composition and systematic generalization (Singh et al., 2021). Moreover, the capacity to scale up and use large-scale text-to-image generation models, like DALL-E (Ko et al., 2022), has highlighted their importance in various fields such as fashion, fine art, industrial design, urban planning, and architecture. These models possess the potential to completely transform the manner in which architects articulate and conceptualize design ideas, opening up fresh possibilities for the representation and examination of architecture (Çelik, 2023). The emergence of AI art platforms like DALL-E, Midjourney, and Stable Diffusion has further propelled this exploration, raising questions about the role of AI in architectural representation and its potential to augment human creativity (Ploennigs and Berger, 2023). Research has investigated the practical applications of these tools, identifying both benefits, such as accelerated design exploration and enhanced visual communication, and limitations, including the need for robust prompt engineering and concerns about bias and job displacement (Albaghajati et al., 2023; Rane et al., 2023). A quantitative method focused on certain criteria related to the design, taking inspiration from the Shah Mosque by using Midjourney to provide the pros and cons is proposed (Maksoud et al., 2024). Notably, Sukkar et al. (2024) highlighted the challenges of using

AI to represent Islamic architectural heritage, emphasizing the need for culturally sensitive and contextually aware AI models. Yildirim (2022) explored the text-to-image generation AI, tracing its history and evaluated the algorithms that underpin its functionality and, this study analyzes popular platforms like DALL-E 2, Midjourney, and others, ultimately showcasing the potential of this technology to revolutionize architectural, interior, and urban design processes. Zeytin et al. (2024) examined the impact of Generative Design Assistants (GDAs), especially ArchiGAN, on architectural design practice, revealing both their potential for innovation and the need for a balanced approach to avoid overshadowing human creativity. Overall, DALL-E, Stable Diffusion, and Midjourney are advanced tools that have revolutionized the interaction between AI and architecture. These instruments provide architects with innovative methods to generate visual content based on written descriptions. The potential of these generative AI models to expand architectural visualization, enhance architectural innovation, and optimize the design process is immense.

Released in 1972, Italo Calvino's postmodern novel *Invisible Cities* presents a series of strange depictions of fictional places, deviating from traditional narrative standards (Calvino, 2010). The book, including a conversation between the adventurer Marco Polo and the emperor Kublai Khan, presents fifty-five distinct urban locations, each possessing unique qualities, atmospheres, and social structures. The fictional cities shown in this work sometimes surpass physical limitations and delve into universal concepts such as language, memory, desire, mortality, and the urban experience. *Invisible Cities* is significant for urban studies because of its poetic and evocative examination of urban imaginaries. The book challenges the conventional portrayal of cities by examining not only their physical architecture and demography but also delving into the psychological and emotional components of urban life. Each city assumes the function of a metaphor, symbolizing a specific aspect of the human situation or a philosophical concept. For example, the city of Zaira explores the concept of language and its influence on our perception of the external world, while the city of Isaura symbolizes the relationship between memory and reality. The reason why this book was chosen in this study is that it contains descriptions that will enable the cities to be written down and imagined in the human mind, and therefore it is very suitable to be used as a prompt. The novel has served as a catalyst for architectural contemplation, providing valuable perspectives on current architectural dilemmas and intricate societal matters pertaining to urban growth (Bajçinovci et al., 2017). Furthermore, the artistic partnership resulting from "Invisible Cities" has given rise to the development of imperceptible auditory elements akin to the delicacy of the *fortepiano*, highlighting the multidisciplinary impact

of Calvino's writings on the fields of architecture and music (Manzoli & Marinho, 2020). Moreover, scholars have employed the novel's portrayal of the interaction and conversation between order and chaos to comprehend and tackle the intricate organizational and sociological aspects of urban areas. This showcases the wide-ranging uses of Calvino's concepts in the field of urban studies (Mukhija, 2015; Case & Gaggiotti, 2014). Calvino's work offers a distinctive perspective for examining and interpreting urban environments, providing a comprehensive theoretical structure for comprehending and tackling diverse architectural and urban issues.

Calvino's writings present a diverse range of urban ideas that can be transformed into visual representations, making them particularly relevant for studying AI-generated images of cities. The abundance of symbolic characters and emotive language in the book provides AI algorithms with ample information to comprehend and generate original, thought-provoking pictures. These renderings can initiate discussions on the capabilities and limitations of artificial intelligence in understanding and depicting the intricate nature of urban life.

The focus of this study is to explore the possible uses of AI tools in architecture and urbanism, the new domain of text-to-image generation using MidJourney V6, Microsoft Designer Image Creator sculpting tool (DALL-E 3), Stable Diffusion XL Turbo, Open-AI GPT4 (DALL-E 3) as artificial intelligence (AI) media and their possible usage in architecture and urbanism by means of visual questionnaire applied to 20 subjects located in five cities of Calvino's *Invisible Cities* (Argia, Diomira, Ersilia, Isidora, Sophronia) and by comparative assessment of the AI tools in accordance with what the subjects provided. This paper intends to include the features and limitations of these tools, and make propositions about the different future uses of these tools in the field of architectural design and urban studies.

The rest of this paper is organized as follows: the cities selected from the "Invisible Cities," and the AI tools used in the study are given in Section 2. Section 3 outlines extensive experiments with urban representation prompts of selected cities and the subjective ranking results. Finally, Section 4 concludes the paper.

2. Material & Methods

This section presents a selection of urban images intentionally highlighting the great cities which are mirrored in some of the pages of Calvino's book, *Invisible Cities*. These passages, rich with imagery, further consider the process of image creation through sophisticated technology and its implementation. In the materials part, the selected extracts are presented more artistically to help the reader become familiar with the

rich description of the cities that Calvino envisioned. At the same time, in the methods part, we present intelligent techniques that were used for image making and provide the background context in which the image was generated.

2.1 Material

Argia, featured in “Cities & Memory 1”; Diomira, also in “Cities & Memory 1”; Ersilia, highlighted in “Trading Cities 4”; Isidora, showcased in “Cities & Memory 2”; and Sophronia, celebrated within the pages of “Thin Cities,” constitute the cities chosen for examination in this study. The selection criteria were carefully curated to ensure that the number of prompts remained concise while retaining the capacity to be translated into tangible expressions. Table 1 outlines the prompts provided to the artificial intelligence models, derived directly from the original texts and descriptions encapsulating the essence of each of these distinctive cities. These city portraits have been converted into a number of prompts for each program. In the table below you can see both the paragraphs and the prompts for the cities. Since the programs have a limited input context window (token size), the city portraits have been shortened. When abbreviating, care was taken to keep the expressions that would become tangible and to remove the rest of the intangible expressions. The reduction process aimed to maintain the essence of each city’s unique character within the constraints of the program’s input context window.

2.2 Methods

Text-to-image generation has attracted a lot of interest because of its potential uses in a number of fields, including virtual environments, design automation, and content creation. In recent years, advances in generative models have made it easier to create complex systems that can convert verbal descriptions into visually consistent visuals. DALL-E, Stable Diffusion, and MidJourney are three of these models that have become front-runners, each pushing the limits of what is possible in text-to-image synthesis. In this work, we compare these models and provide insights into their designs.

Table 1. *Selected urban portrait texts and prompts for the questionnaires.*

	Text of the City in the Book (Calvino, 2010)	Prompt of the City (Shortened Version)
Argia	<p>“What makes Argia different from other cities is that it has earth instead of air. The streets are completely filled with dirt, clay packs the rooms to the ceiling, on every stair another stairway is set in negative, over the roofs of the houses hang layers of rocky terrain like skies with clouds. We do not know if the inhabitants can move about the city, widening the worm tunnels and the crevices where roots twist: the dampness destroys people’s bodies and they have scant strength; everyone is better off remaining still, prone; anyway, it is dark. From up here, nothing of Argia can be seen; some say, “It’s down below there,” and we can only believe them. The place is deserted. At night, putting your ear to the ground, you can sometimes hear a door slam.”</p>	<p>“What makes Argia different from other cities is that it has earth instead of air. The streets are completely filled with dirt, clay packs the rooms to the ceiling, on every stair another stairway is set in negative, over the roofs of the houses hang layers of rocky terrain like skies with clouds. We do not know if the inhabitants can move about the city, widening the worm tunnels and the crevices where roots twist.”</p>
Diomira	<p>“Leaving there and proceeding for three days toward the east, you reach Diomira, a city with sixty silver domes, bronze statues of all the gods, streets paved with lead, a crystal theater, a golden cock that crows each morning on a tower. All these beauties will already be familiar to the visitor, who has seen them also in other cities. But the special quality of this city for the man who arrives there on a September evening, when the days are growing shorter and the multicolored lamps are lighted all at once at the doors of the food stalls and from a terrace a woman’s voice cries ooh!, is that he feels envy toward those who now believe they have once before lived an evening identical to this and who think they were happy, that time.”</p>	<p>“Leaving there and proceeding for three days toward the east, you reach Diomira, a city with sixty silver domes, bronze statues of all the gods, streets paved with lead, a crystal theater, a golden cock that crows each morning on a tower and the multicolored lamps are lighted all at once at the doors of the food stalls.”</p>
Ersilia	<p>“In Ersilia, to establish the relationships that sustain the city’s life, the inhabitants stretch strings from the corners of the houses, white or black or gray or black-and-white according to whether they mark a relationship of blood, of trade, authority, agency. When the strings become so numerous that you can no longer pass among them, the inhabitants leave: the houses are dismantled; only the strings and their supports remain. From a mountainside, camping with their household goods, Ersilia’s refugees look at the labyrinth of taut strings and poles that rise in the plain. That is the city of Ersilia still, and they are nothing. They rebuild Ersilia elsewhere. They weave a similar pattern of strings which they would like to be more complex and at the same time more regular than the other. Then they abandon it and take themselves and their houses still farther away. Thus, when traveling in the territory of Ersilia, you come upon the ruins of the abandoned cities, without the walls which do not last, without the bones of the dead which the wind rolls away: spiderwebs of intricate relationships seeking a form.”</p>	<p>“In Ersilia, the inhabitants stretch strings from the corners of the houses, white or black or gray or black-and-white according to whether they mark a relationship of blood, of trade, authority, agency. When the strings become so numerous, the inhabitants leave: the houses are dismantled; only the strings and their supports remain. From a mountainside, camping with their household goods, refugees look at the labyrinth of taut strings and poles that rise in the plain.”</p>

Isidora

“When a man rides a long time through wild regions he feels the desire for a city. Finally, he comes to Isidora, a city where the buildings have spiral staircases encrusted with spiral seashells, where perfect telescopes and violins are made, where the foreigner hesitating between two women always encounters a third, where cockfights degenerate into bloody brawls among the bettors. He was thinking of all these things when he desired a city. Isidora, therefore, is the city of his dreams: with one difference. The dreamed-of city contained him as a young man; he arrives at Isidora in his old age. In the square there is the wall where the old men sit and watch the young go by; he is seated in a row with them. Desires are already memories.”

“Finally, he comes to Isidora, a city where the buildings have spiral staircases encrusted with spiral seashells, where perfect telescopes and violins are made, where the foreigner hesitating between two women always encounters a third, where cockfights degenerate into bloody brawls among the bettors. In the square there is the wall where the old men sit and watch the young go by; he is seated in a row with them. Desires are already memories.”

Sophronia

“The city of Sophronia is made up of two half-cities. In one there is the great roller coaster with its steep humps, the carousel with its chain spokes, the Ferris wheel of spinning cages, the death-ride with crouching motorcyclists, the big top with the clump of trapezes hanging in the middle. The other half-city is of stone and marble and cement, with the bank, the factories, the palaces, the slaughterhouse, the school, and all the rest. One of the half-cities is permanent, the other is temporary, and when the period of its sojourn is over, they uproot it, dismantle it, and take it off, transplanting it to the vacant lots of another half-city. And so every year the day comes when the workmen remove the marble pediments, lower the stone walls, the cement pylons, take down the Ministry, the monument, the docks, the petroleum refinery, the hospital, load them on trailers, to follow from stand to stand their annual itinerary. Here remains the half-Sophronia of the shooting-galleries and the carousels, the shout suspended from the cart of 63 the headlong roller coaster, and it begins to count the months, the days it must wait before the caravan returns and a complete li~ can begin again.”

“The city of Sophronia is made up of two half-cities. In one there is the great roller coaster with its steep humps, the carousel with its chain spokes, the Ferris wheel of spinning cages, the death-ride with crouching motorcyclists, the big top with the clump of trapezes hanging in the middle. The other half-city is of stone and marble and cement, with the bank, the factories, the palaces, the slaughterhouse, the school, and all the rest.”

2.2.1 DALL-E

OpenAI’s DALL-E is a generative model that turns written descriptions into visuals. It utilizes a transformer-based architecture to encode the text input into embeddings. These embeddings condition the image generation process, which is handled by a separate transformer model. The transformer is adept at modeling long-range dependencies and global relationships within the data. It uses its self-attention mechanism to attend to different parts of the text embedding and various stages of the image generation, guiding the creation of the final image. Through this process, DALL-E produces images that exhibit impressive levels of detail and coherence while remaining semantically consistent with the text prompt. DALL-E

promises to be a powerful text-to-image creation tool for various urban studies applications, including urban planning and exploring potential design solutions.

The development of generative AI has revolutionized the field of image generation, with DALL-E at the forefront of this innovation. OpenAI introduced DALL-E, a state-of-the-art text-to-image model that has garnered significant attention for its advanced and diverse capacities for combinational image generation with specific textual prompts (Wang et al., 2023). The emergence of surreal and grotesque image sets created using DALL-E Mini has prompted analysis of their aesthetic content and connections to preexisting media forms and trends in digital culture (O'Meara & Murphy, 2023). Furthermore, DALL-E 2 has been shown to significantly underperform when tasked with generating specific images, indicating the need for further research and development in this area (Mbalaka, 2023). Additionally, DALL-E has demonstrated an impressive ability for composition-based systematic generalization in image generation, albeit with the requirement of a dataset of text-image pairs (Singh et al., 2021). Moreover, Ramesh et al. (2022) have compared DALL-E with other text-to-image systems, such as GLIDE, showcasing comparable quality to the latter but with greater diversity in its image generation. Adams et al. (2022) have highlighted the potential of DALL-E 2 as a tool for image generation, augmentation, and manipulation in the field of radiology, provided that these models possess sufficient medical domain knowledge. Additionally, compared to traditional DALL-E, the quality of generated images has significantly improved, leading to the introduction of DALL-E 2 with significantly better output generation (Poredi, 2023). These advancements in generative AI, particularly with DALL-E, have paved the way for the use of AI tools to generate high-quality images from text prompts and reference images, indicating its potential for various applications (Moral-Andrés et al., 2022).

DALL-E's development and capabilities, as well as its subsequent iterations, have significantly advanced the field of generative AI, particularly in text-to-image generation. However, there are still challenges and limitations that need to be addressed, such as the need for domain-specific knowledge and the performance of the model when tasked with generating specific images. Despite these challenges, DALL-E and its iterations represent a promising future tool for image generation, with potential applications across various domains, including radiology, design, and content generation.

2.2.2 Stable Diffusion

Stable Diffusion, a latent text-to-image diffusion model created by Stability AI, excels at generating high-quality images from natural language

descriptions (Podell, et al., 2023). Unlike pixel-based diffusion models, Stable Diffusion applies the diffusion process within a compressed latent space, enabling efficient training and image generation with reduced computational requirements. Using a U-Net architecture with cross-attention layers, the model effectively extracts both global and local information from the text prompt, guiding the generation process. During the diffusion phase, the model gradually denoises a latent representation based on the text prompt, ultimately producing a coherent image consistent with the given description. Stable Diffusion's flexibility makes it a valuable tool for various applications within urban studies, including urban design, architectural visualization, and other creative domains. This approach not only delivers visually impressive results but also allows for control over the image generation process through text prompts and multiple sampling methods.

Stable Diffusion is a cutting-edge text-to-image generative AI model that has gained significant attention in the field of artificial intelligence. This model has been widely recognized for its ability to generate high-quality images in a matter of seconds based on textual descriptions (Du et al., 2023). The Stable Diffusion model has been implemented across various applications, including text-to-image generation, image-to-video synthesis, model-agnostic zero-shot classification, and unsupervised semantic correspondence investigation (Siemens, 2023). This demonstrates the versatility and broad utility of Stable Diffusion in the realm of generative AI. Moreover, the text-guided diffusion model GLIDE, which is based on Stable Diffusion, has been acknowledged as the state of the art in text-to-image generative AI, further highlighting the significance of Stable Diffusion in the domain of generative AI (Kather et al., 2022). Additionally, the model has been leveraged in diverse contexts, such as in the development of co-creative text adventure games and in enhancing social virtual reality experiences, showcasing its adaptability and relevance in various domains (Sun et al., 2022; Numan et al., 2023). Furthermore, the emergence of Stable Diffusion has been attributed to the advancements in learning techniques, particularly the utilization of generative adversarial networks (GANs) and diffusion models using Contrastive Language-Image Pre-training (CLIP) (Brisco et al., 2023). This underscores the technological underpinnings and sophisticated methodologies that contribute to the efficacy of Stable Diffusion in text-to-image generation.

Stable Diffusion has emerged as a pivotal and influential text-to-image generative AI model, offering rapid image generation capabilities, versatility across applications, and a foundation built on advanced learning techniques. Its impact extends beyond traditional text-to-image generation, encompassing diverse domains and applications, thereby solidifying its position as a leading model in the field of generative AI.

2.2.3 *MidJourney*

Users can access the text-to-image AI model known as Midjourney through its Discord channel, website, and API. While the specific design of Midjourney remains undisclosed, it is widely believed to be based on diffusion models, similar to Stable Diffusion. To interact with the model, users input commands into the chosen platform, prompting the generation of images that correspond to the provided descriptions. Midjourney distinguishes itself through its emphasis on artistic expression and the creation of visually captivating imagery in diverse styles and aesthetics. This capability likely stems from a combination of its model architecture, potentially incorporating mechanisms for artistic interpretation and style transfer, and its training data, which presumably encompasses a wide array of artistic works. Although the technical details of Midjourney remain largely unknown, its outputs suggest an approach that transcends basic text-to-image translation, venturing into the realms of artistic co-creation and creative exploration. This positions Midjourney as a potentially valuable tool for urban studies, particularly in disciplines where aesthetic considerations and visual communication play a crucial role.

Text-to-image generation has gained significant attention in recent years due to its potential applications in various fields such as content marketing, medical education, design, and journalism. Midjourney, a generative AI tool, has emerged as a prominent player in this domain, alongside other models like DALL-E 2 and Disco Diffusion (Brisco et al., 2023; Kenig et al., 2023; Lyu et al., 2022). These AI systems have demonstrated the capability to produce images based on text prompts, mimicking the cognitive processes of the human mind (Kenig et al., 2023). However, developers may intentionally limit the use of such AI programs in certain domains, such as medical material creation (Youssef, 2023). Despite this, Midjourney and similar AI generators have shown promise in creating fully rendered images solely based on user prompts, offering intricate and impressive results (Newton & Dhole, 2023). The potential of text-to-image generation models, including Midjourney, extends to image editing capabilities and the development of new tools for creative practitioners (Saharia et al., 2022).

Table 2. *Comparison of state-of-the-art text-to-image generation AI tools.*

Feature	MidJourney V6	Stable Diffusion XL Turbo	DALL-E 3
Release Date	December, 2023	July, 2023	August, 2023
Architecture	-	Diffusion-based	Transformer-based

Accessi- bility	Subscrip- tion-based, access through using Discord web in- terface	Open-source, widely accessible	Subscrip- tion-based, ac- cess through web interface, API support
Pricing (as of May, 2024)	8USD/mo (Basic plan)	12USD/mo (Clipdrop Pro)	20USD/mo (OpenAI GPT4) Free (MS Design- er Img. Creator)
Web Site	https://midjourney.com	https://clipdrop.co/stable-diffusion-turbo	https://chatgpt.com https://designer.microsoft.com/image-creator

More than that, people have looked into how AI systems like Midjourney affect the environment. For example, Tomlinson et al. (2023) compared the carbon emissions that AI systems and humans produce when they do the same tasks. As such, Midjourney and similar AI image generators have the potential to revolutionize various industries, offering efficient and creative solutions for image generation and content creation. Table 2 shows a brief comparison of DALL-E, Stable Diffusion and Midjourney AI tools.

3. Experimental Results

This section explores the potential of text-to-image artificial intelligence (AI) tools for creating urban portraits. Three AI tools – DALL-E, Stable Diffusion, and Midjourney – were used to visualize five city descriptions selected from Calvino’s seminal work, *Invisible Cities*. Two methods were employed for DALL-E 3: the first utilized OpenAI’s ChatGPT4, which restructures prompts before transmitting them to DALL-E 3, while the second used Microsoft Designer’s Image Creator tool. Stable Diffusion’s XL Turbo model was accessed via the ClipDrop website, and Midjourney’s v6 version was accessed through its Discord channel. Each AI tool generated four 1024×1024 resolution color images per prompt. These images are presented in the Visual Results section and visually evaluated. To assess the quality of the generated images, 20 domain experts were tasked with ranking the outputs of each tool from best to worst based on the provided prompt (artistic style, adherence to the text and overall impression). The ranking results are presented in the Subjective Evaluation section, offering a statistically informed perspective on the comparative performance of each AI tool.

3.1 Visual Results

In this section, the renderings created with the given prompts are given. For each prompt, AI tools were asked to generate 4 different images.

Figure 1 shows the generated artificial images for the city of Argia. In the prompt, important key features can be listed as: earth, dirt, clay, stairways (inverted), roofs (layered), worm tunnels, crevices, subterranean, confinement and claustrophobic. Overall, Argia's visual identity is one of subterranean confinement, filled with earth and featuring unusual architectural elements like inverted stairways and layered roofs. This creates a stark contrast with typical cities, emphasizing its otherworldly and claustrophobic nature. An analysis of the Midjourney outputs reveals a progression in the depiction of soil texture, moving from an urban scale to a finer street-level representation. Additionally, these images generally exhibit a layered morphological structure, encompassing both underground and aboveground elements, particularly in the staircase formations.




Figure 1. Visual representation of Argia's urban portraits obtained by AI tools.

The DALL-E 3 model accessed through MS Designer expresses these underground and aboveground layers more prominently, with a notable emphasis on worm-created tunnels. Conversely, images generated by Stable Diffusion demonstrate the presence of soil texture and urban stratification solely at the surface level, lacking detailed subterranean features. The GPT4-powered DALL-E 3 images, however, successfully convey the existence of distinct underground and aboveground layers, showcasing an interconnected staircase system. Notably, these images depict signs of life in both subterranean and surface environments.



Figure 2. Visual representation of Diomira’s urban portraits obtained by AI tools.

Figure 2 presents a comparative analysis of artificially generated images of the fictional city, Diomira, produced by various AI models. The prompt provided to the models incorporated key descriptive elements,

including: “sixty silver domes, bronze statues of all the gods, streets paved with lead, crystal theatre, golden cock, crows each morning, multicolored lamps, and food stalls.” This lexicon was designed to encapsulate the unique characteristics of Diomira, enhancing its memorability for human readers and facilitating distinctiveness in creative program inputs. An examination of the outputs reveals distinct approaches to the prompt interpretation. Midjourney renders a street view incorporating several identifying features, such as a rooster, a dome, and a stall. DALL-E 3 similarly depicts a street scene beneath the domes, but emphasizes the sunrise and prominently features the rooster. In contrast, Stable Diffusion omits certain prompted elements, including the rooster and a bench. Conversely, the GPT4-powered DALL-E 3 integrates nearly all descriptive elements, including bronze statues, silver domes, lead-paved streets, and multicolored lamps, but notably excludes the rooster. This comparative analysis underscores the diverse interpretative capabilities and limitations of current AI image generation models in translating textual descriptions into visual representations.

Figure 3 shows an analysis of AI-generated images depicting the fictional city of Ersilia, characterized by its unique socio-spatial structure. The prompt provided to the models highlighted key features: “ropes, colors, relationships, dismantled houses, refugees, labyrinth of ropes.” This lexicon encapsulates Ersilia’s defining element: a system where colorful ropes physically manifest inter-household relationships, signifying kinship, trade, power, and service. The city’s narrative revolves around the eventual unsustainability of this complex web, as an overly dense network compels citizens to abandon their homes, leaving behind a skeletal landscape of interconnected poles - a poignant testament to societal complexity and its potential pitfalls.






Figure 3. *Visual representation of Ersilia's urban portraits obtained by AI tools.*

Former residents observe this tangled legacy from a distance, prompting reflection on the intricate web they left behind. Analyzing the outputs, we observe distinct interpretative approaches. Midjourney emphasizes the perspective of the refugees, offering a close-up view of the abandoned houses. DALL-E 3, in contrast, presents a multi-scalar and multi-angular representation of the city, mirroring the labyrinthine network of ropes that embodies Ersilia's social fabric. Stable Diffusion focuses on the street pattern, while the GPT4-powered DALL-E 3 model generates visuals similar to those of DALL-E 3. This comparison illuminates the diverse capabilities of current AI image generation models in translating textual descriptions of complex socio-spatial systems into compelling visual narratives.

Figure 4 displays a compared look of AI-generated images that reflect the fictitious town of Isidora. This city is known for its distinct architectural and societal characteristics. The instruction given to the models emphasized essential elements: “spiral staircases, seashells, telescopes, violins.” The vocabulary used in this text creates a vivid image of a city that is both intricately beautiful and filled with intense emotions, reflecting the description of a traveler's experience in Isidora.



Figure 4. Visual representation of Isidora’s urban portraits obtained by AI tools.

Upon analyzing the outputs, we see clear and separate interpretations. Midjourney provides a viewpoint at street level, capturing the city from a position that is relatable to humans. DALL-E 3, on the other hand, specifically emphasizes a grand structure featuring a notable helical staircase, frequently depicted from a remote perspective. Stable Diffusion highlights the urban vitality by focusing on the liveliness of street life. Finally, the DALL-E 3 model, which is powered by GPT4, combines symbolic aspects. It has a spiral staircase that resembles a seashell and a square formation in front of it.

The square formation may represent passersby who are being viewed, maybe alluding to the “telescopes” mentioned in the prompt. This investigation highlights the different capacities of existing AI models in

converting written descriptions into various visual depictions of imaginary urban landscapes.




Figure 5. Visual representation of Sophronia’s urban portraits obtained by AI tools.

Figure 5 illustrates the synthetic images produced for the city of Sophronia. The crucial distinguishing characteristics of the hint can be enumerated as follows: The clue comprises various components, including urban areas divided in half, the concept of duality, amusement park rides such as roller coasters and carousels, circus apparatus like trapezes, and various types of buildings such as stone, marble, and cement structures, financial institutions, industrial facilities, grand residences, places where animals are slaughtered, and educational institutions. Sophronia is a city that is split into two distinct sections. 50% of the area is allocated to

entertainment and grandeur, with exhilarating rides and attractions such as roller coasters and Ferris wheels.

The remaining portion symbolizes the ordinary and pragmatic facets of existence, constructed from durable substances and containing establishments such as financial institutions, manufacturing facilities, and educational institutions. The Midjourney outputs do not clearly observe the distinction between the two cities, but they do have aspects that portray the urban environment. The DALL-E 3 model exhibits two clear distinctions but does not identify any difference in terms of function or language. The Stable Diffusion model has generated a language that closely resembles the output of The Midjourney. The GPT4 enabled DALL-E 3 images encode the clear differentiation between the two cities using both functional and chromatic elements.

3.2 Subjective Evaluation

In this section, the efficacy of different text-to-image generative AI tools in creating visual representations of urban environments described in literary texts are investigated. Specifically, we focus on five fictional cities from Italo Calvino's *Invisible Cities*: Argia, Diomira, Ersilia, Isidora, and Sopronia.

The study employed a comparative framework, analyzing the outputs of three prominent AI tools: Stable Diffusion XL Turbo, DALL-E 3 (accessed via Microsoft Designer Image Creator and OpenAI GPT-4), and Midjourney v6. A survey was conducted with a participant group of 20 individuals, comprising 10 professional architects, urban design practitioners, planners and 10 senior undergraduate students from the department of architecture.

Prior to the survey, participants were briefed on the content of *Invisible Cities* and the objectives of the study. A questionnaire was then distributed, featuring the name of each city, a concise explanation of the research aim, and specific instructions for the participants. For each city, the questionnaire presented with descriptive text from *Invisible Cities* and visual representations, the images generated by the aforementioned AI tools, labeled anonymously as A, B, C, and D to conceal the specific tool used.

Participants were tasked with ranking the four visual representations (A, B, C, and D) from most (1st) to least (4th) successful in capturing the essence of the textual description for each city. This ranking system allowed for a subjective assessment of how effectively each AI tool translated the literary text into a visual representation.

This research aims to contribute to the growing body of knowledge surrounding AI-driven image generation, focusing on its potential for

visualizing complex literary descriptions of urban portraits. The findings will provide valuable insights into the strengths and weaknesses of different AI tools, informing future applications in architectural design, urban planning, and artistic explorations.




Figure 6. Subjective evaluation results for each city (1st ranking indicates the best).

Figure 6 shows subjective evaluation results with boxplots for each city. Boxplot is a visualization tool that summarizes the distribution of data in a single graph. Shows the minimum, maximum, median, first quartile (Q1) and third quartile (Q3) values of the data set. It also indicates the presence of outliers. Blue box, in the figures, indicate the 1st and 3rd quartiles, black lines indicate the minimum and maximum rankings, red line indicates the median value, red cross indicates the outlier and green diamond indicates the mean ranking value.

Analysis of Figure 6 reveals distinct performance patterns across the generative AI tools for each city depicted. For Argia, both Midjourney and GPT4 DALL-E 3 demonstrate a median ranking of 2nd, while MS Designer DALL-E 3 and SDXL Turbo fall at 3rd. Averaging the rankings reveals a slight edge in performance for Midjourney over GPT4 DALL-E 3.

Similarly, in Diomira, Midjourney and GPT4 DALL-E 3 maintain a median ranking of 2nd, with MS Designer DALL-E 3 and SDXL Turbo again at 3rd. However, in this instance, average ranking indicates a marginal advantage for GPT4 DALL-E 3, which emerges as the preferred tool for this particular city, surpassing Midjourney.

A shift in performance emerges in the visualization of Ersilia. The DALL-E 3 implementations, both MS Designer and GPT4, exhibit a median ranking of 2nd, while Midjourney falls to 3rd and SDXL Turbo ranks last at 4th. The average ranking for MS Designer DALL-E 3 slightly exceeds that of GPT4 DALL-E 3. Notably, SDXL Turbo, identified as the least successful tool for depicting Ersilia, presents closely aligned median and average rankings.

Table 3. Overall subjective evaluation results (1st ranking indicates the best).

	Midjourney V6	DALL-E 3(Designer)	SDXL Turbo	DALL-E 3 (GPT4)
Median Ranking	3 rd	2 nd	4 th	2 nd
Average Ranking	2.40 th	2.30 th	3.23 th	2.07 th
Standard Dev.	0.92	1.02	1.04	1.11

Isidora echoes the pattern observed in Ersilia, with MS Designer DALL-E 3 and GPT4 DALL-E 3 achieving a median ranking of 2nd, Midjourney at 3rd, and SDXL Turbo at 4th. However, in this case, average ranking favors GPT4 DALL-E 3 over MS Designer DALL-E 3.

Lastly, the visualization of Sophronia showcases a clear hierarchy in median ranking. GPT4 DALL-E 3 secures the top position with 1st, followed by MS Designer DALL-E 3 at 2nd, Midjourney at 3rd, and SDXL Turbo at 4th. A comparison of average rankings reveals comparable performance for both DALL-E 3 implementations.

Overall, the subjective evaluations, given in Table 3, reveal a preference for DALL-E 3, particularly the GPT4 implementation. DALL-E 3 (GPT4) achieved a median ranking of 2nd and the best average ranking (2.07th), indicating a tendency towards higher rankings. Midjourney secured a

median ranking of 3rd, with an average ranking of 2.40th. SDXL Turbo was less favored, consistently receiving lower median and average rankings. These results suggest that, based on subjective evaluations, DALL-E 3 (GPT4) demonstrated stronger performance in visually translating the textual descriptions of the selected cities from Italo Calvino's *Invisible Cities*. The standard deviation shows the scatter in the results, and if it is low, it means that the results are clustered around the mean. From this perspective, the standard deviation for all 4 tools is approximately close to 1 which means there is a moderate degree of variation in the subjective rankings for each AI tool. This suggests that while there is a general consensus regarding the relative performance of the tools, individual preferences and interpretations of the textual descriptions still play a significant role in the rankings.

4. Conclusions

In this study, the potential of text-to-image generative AI tools for visualizing urban environments described in literary texts, specifically focusing on five fictional cities from Italo Calvino's *Invisible Cities* is explored. The motivation stemmed from the increasing interest in utilizing AI for creative applications in fields like architecture and urban planning. We aimed to contribute to the growing body of knowledge surrounding AI-driven image generation by comparing the performance of three prominent tools: Stable Diffusion XL Turbo, DALL-E 3 (accessed through both Microsoft Designer Image Creator and OpenAI GPT-4), and Midjourney V6.

A subjective evaluation was conducted with 20 participants, including architects, urban designers, planners, and architecture students. They ranked images generated by each AI tool based on how effectively they captured the essence of textual descriptions from *Invisible Cities*. Our quantitative results revealed a preference for DALL-E 3, particularly the GPT4 implementation. DALL-E 3 (GPT4) consistently achieved higher rankings, indicating its superior ability to translate complex literary descriptions into compelling visual representations.

The inclusion of text-to-image generative AI approaches in the field of urban studies can create new opportunities in the dimensions of urban planning, design, and research through the visualization of urban contexts, the interaction with people's views, and the improvement of participatory planning processes. Urban studies suggest multiple new ideas presented in Table 4 – these are the incorporation of visual elements to text documents, in this case to enhance realistic portrayal of urban scenarios.

Table 4. Possible usage areas of integrating text-to-image generative AI tools in urban studies.

Visual Simulation and Scenario Planning	<i>Future Urban Landscapes</i>	Idea Generation
		Impact Visualization
	<i>Infrastructure Changes</i>	Before and After Scenarios
		Integration with GIS
Enhanced Public Engagement	<i>Visual Preferences Surveys</i>	Design Options
		Interactive Tools
	<i>Awareness and Education Campaigns</i>	Scenario Effects
		Digital Exhibitions
Design and Aesthetics Exploration	<i>Architectural Design</i>	Facade Designs
		Landscape Integration
	<i>Public Space Design</i>	Furniture and Layout
		Lighting and Atmosphere
Policy Development and Analysis	<i>Zoning Implications</i>	Zoning Changes
		Density Studies
	<i>Environmental Impact</i>	Green Infrastructure
		Sustainability Scenarios
Research and Theoretical Modeling	<i>Historical Urban Changes</i>	Reconstruction
		Change Over Time
	<i>Theoretical Models</i>	Urban Theories Visualization
Technical Integration Strategies	<i>Software and Tool Development</i>	Plugin for Urban Design
		Software (AutoCAD, Revit, or SketchUp, ... etc.)
		APIs for Custom Tools
	<i>Collaboration with AI Researchers and Developer</i>	Custom AI Models

The future of urban studies is set to change for the better with the incorporation of text to image generative artificial intelligence tools which provide a more graphic method of imagining the future, eliciting the response of people, and creating evidence-based creative urban strategies. In turn, the planning of ten morphologies and the design of cities become less placid, and more firmly engaging and constructive which should result in an improved environment.

AI content generators allow designers to think beyond the revised design and have the ability to come up with different design options that are acceptable and realistic also. It is possible that it can enhance the initial stages in the architectural design process by providing both stimulation as well as visualization. In this study, we attempt to contribute to understanding of the developed nature of AI image in the immediate environment for architectural practices. In addition, the study also provides the possible future desire limit for the evolution of this technology and its implementation in the design process. These further advances could help architects and planners in production of more computerized images while

using less powerful hardware and fewer applications. Such development would ease the design processes and compel us to major on the designing and decision-making processes.

Acknowledgements

The authors would like to acknowledge the use of generative AI tools to enhance the grammar and language quality of this study. These tools were employed exclusively to refine the clarity and readability of the text, without altering the content or the original findings presented.

References

- Albaghajati, Z. M., Bettaieb, D. M., & Malek, R. B. (2023). Exploring text-to-image application in architectural design: insights and implications. *Architecture, Structures and Construction*, 3(4), 475-497. <https://doi.org/10.1007/s44150-023-00103-x>
- Adams, L., Busch, F., Truhn, D., Makowski, M., Aerts, H., & Bressemer, K. (2022). What does DALL-E 2 know about radiology? <https://doi.org/10.48550/arxiv.2209.13696>
- Adetayo, A. (2024). Reimagining learning through ai art: the promise of DALL-E and Midjourney for education and libraries. *Library Hi Tech News*. <https://doi.org/10.1108/lhtn-01-2024-0005>
- As, I., Pal, S., & Basu, P. (2018). Artificial intelligence in architecture: generating conceptual design via deep learning. *International Journal of Architectural Computing*, 16(4), 306-327. <https://doi.org/10.1177/1478077118800982>
- Bajçinovci, B., Thaci, K., & Bajçinovci, B. (2017). Architectural reflection on Italo Calvino's *Invisible Cities*. *Journal of Science Humanities and Arts - Josha*, 4(1). <https://doi.org/10.17160/josha.4.1.261>
- Brisco, R., Hay, L., & Dhimi, S. (2023). Exploring the role of text-to-image AI in concept generation. *Proceedings of the Design Society*, 3, 1835-1844. <https://doi.org/10.1017/pds.2023.184>
- Buehler, M. (2022). Generating 3D architected nature-inspired materials and granular media using diffusion models based on language cues. *Oxford Open Materials Science*, 2(1). <https://doi.org/10.1093/oxfmat/itac010>
- Calvino, I. (2010). *Invisible cities*. Random House.
- Case, P. and Gaggiotti, H. (2014). Italo Calvino and the organizational imagination: reading social organization through urban metaphors. *Culture and Organization*, 22(2), 178-198. <https://doi.org/10.1080/14759551.2014.901325>
- Çelik, T. (2023). Architectural design method suggestion with machine learning technologies based on voronoi diagram principle. *Periodica Polytechnica Architecture*, 54(1), 12-28. <https://doi.org/10.3311/ppar.21643>
- Du, H., Li, Z., Niyato, D., Kang, J., Xiong, Z., Huang, H., ... & Mao, S. (2023). Generative AI-aided optimization for AI-generated content (AIGC) services in edge networks. <https://doi.org/10.48550/arxiv.2303.13052>
- Hegazy, M. and Saleh, A. (2023). Evolution of AI role in architectural design: between parametric exploration and machine hallucination.

MSA Engineering Journal, 2(2), 262-288. <https://doi.org/10.21608/msaeng.2023.291873>

Jeong, H., Kwon, G., & Ye, J. (2023). Zero-shot generation of coherent storybook from plain text story using diffusion models.. <https://doi.org/10.48550/arxiv.2302.03900>

Kather, J., Laleh, N., Foersch, S., & Truhn, D. (2022). Medical domain knowledge in domain-agnostic generative ai. NPJ Digital Medicine, 5(1). <https://doi.org/10.1038/s41746-022-00634-5>

Kenig, N., Echeverria, J., & Vives, A. (2023). Human beauty according to artificial intelligence. Plastic and Reconstructive Surgery Global Open, 11(7), e5153. <https://doi.org/10.1097/gox.00000000000005153>

Ko, H., Park, G., Jeon, H., Jo, J., Kim, J., & Seo, J. (2022). Large-scale text-to-image generation models for visual artists' creative works.. <https://doi.org/10.48550/arxiv.2210.08477>

Li, H., Wu, Q., Xing, B., & Wang, W. (2023). Exploration of the intelligent-auxiliary design of architectural space using artificial intelligence model. Plos One, 18(3), e0282158. <https://doi.org/10.1371/journal.pone.0282158>

Lyu, Y., Wang, X., Lin, R., & Wu, J. (2022). Communication in human-AI co-creation: perceptual analysis of paintings generated by text-to-image system. Applied Sciences, 12(22), 11312. <https://doi.org/10.3390/app122211312>

Ma, Y., Zhang, X., Sun, X., Ji, J., Wang, H., Jiang, G., ... & Ji, R. (2023). X-mesh: towards fast and accurate text-driven 3d stylization via dynamic textual guidance.. <https://doi.org/10.48550/arxiv.2303.15764>

Manzoli, J. and Marinho, H. (2020). Invisible sounds for Calvino's Invisible Cities: collaboration in a creative process. Orfeu, 5(1). <https://doi.org/10.5965/2525530405012020554>

Maksoud, A. (2024). Integrating an image-generative tool on creative design brainstorming process of a Safavid mosque architecture conceptual form. Buildings, 14(3), 843. <https://doi.org/10.3390/buildings14030843>

Mbalaka, B. (2023). Epistemically violent biases in artificial intelligence design: the case of DALL-E 2 and starry AI. Digital Transformation and Society, 2(4), 376-402. <https://doi.org/10.1108/dts-01-2023-0003>

Moral-Andrés, F., Gómez, E., Reviriego, P., & Lombardi, F. (2022). Can artificial intelligence reconstruct ancient mosaics?.. <https://doi.org/10.48550/arxiv.2210.06145>

Mukhija, V. (2015). Learning from invisible cities: the interplay and dialogue of order and disorder. Environment and Planning a Economy and Space, 47(4), 801-815. <https://doi.org/10.1068/a130117p>

- Newton, A. and Dhole, K. (2023). Is AI art another industrial revolution in the making?.. <https://doi.org/10.48550/arxiv.2301.05133>
- Numan, N., Giunchi, D., Congdon, B., & Steed, A. (2023). Ubiq-genie: leveraging external frameworks for enhanced social VR experiences.. <https://doi.org/10.1109/vrw58643.2023.00108>
- O'Meara, J. and Murphy, C. (2023). Aberrant ai creations: co-creating surrealist body horror using the DALL-E mini text-to-image generator. *Convergence the International Journal of Research into New Media Technologies*, 29(4), 1070-1096. <https://doi.org/10.1177/13548565231185865>
- Ploennigs, J. and Berger, M. (2023). AI art in architecture. *AI in Civil Engineering*, 2(1). <https://doi.org/10.1007/s43503-023-00018-y>
- Podell, D., English, Z., Lacey, K., Blattmann, A., Dockhorn, T., Müller, J., ... & Rombach, R. (2023). Sdxl: Improving latent diffusion models for high-resolution image synthesis. *arXiv preprint arXiv:2307.01952*. <https://doi.org/10.48550/arXiv.2307.01952>
- Poredi, N. (2023). Ausome: authenticating social media images using frequency analysis.. <https://doi.org/10.1117/12.2663296>
- Ramesh, A., Dhariwal, P., Nichol, A., Chu, C., & Chen, M. (2022). Hierarchical text-conditional image generation with clip latents.. <https://doi.org/10.48550/arxiv.2204.06125>
- Rane, N. L., Choudhary, S. P., & Rane, J. (2023). Integrating ChatGPT, Bard, and leading-edge generative artificial intelligence in architectural design and engineering: applications, framework, and challenges. *International Journal of Architecture and Planning*, 3(2), 92-124. <https://doi.org/10.51483/ijarp.3.2.2023.92-124>
- Sadek, M. (2023). Artificial intelligence as a pedagogical tool for architectural education: what does the empirical evidence tell us?. *MSA Engineering Journal*, 2(2), 133-148. <https://doi.org/10.21608/msaeng.2023.291867>
- Saharia, C., Chan, W., Saxena, S., Li, L., Whang, J., Denton, E., ... & Norouzi, M. (2022). Photorealistic text-to-image diffusion models with deep language understanding. <https://doi.org/10.48550/arxiv.2205.11487>
- Siemens, S. (2023). Synthetically generated microscope images of microtopographies using stable diffusion.. <https://doi.org/10.1117/12.2673643>
- Singh, G., Deng, F., & Ahn, S. (2021). Illiterate DALL-E learns to compose. <https://doi.org/10.48550/arxiv.2110.11405>
- Steinfeld, K. (2023). Clever little tricks: a socio-technical history of text-to-image generative models. *International Journal of Architectural Computing*, 21(2), 211-241. <https://doi.org/10.1177/14780771231168230>

- Sukkar, A. W., Fareed, M. W., Yahia, M. W., Abdalla, S. B., Ibrahim, I., & Senjab, K. A. K. (2024). Analytical evaluation of MidJourney architectural virtual lab: defining major current limits in ai-generated representations of Islamic architectural heritage. *Buildings*, 14(3), 786. <https://doi.org/10.3390/buildings14030786>
- Sun, Y., Ni, X., Feng, H., Lc, R., Lee, C., & Asadipour, A. (2022). Bringing stories to life in 1001 nights: a co-creative text adventure game using a story generation model., 651-672. https://doi.org/10.1007/978-3-031-22298-6_42
- Tomlinson, B., Black, R., Patterson, D., & Torrance, A. (2023). The carbon emissions of writing and illustrating are lower for AI than for humans. <https://doi.org/10.21203/rs.3.rs-2724922/v1>
- Wang, B., Zhu, Y., Chen, L., Liu, J., Sun, L., & Childs, P. (2023). A study of the evaluation metrics for generative images containing combinational creativity. *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, 37. <https://doi.org/10.1017/s0890060423000069>
- Yildirim, E. (2022). Text-to-image generation ai in architecture. *Art and Architecture: Theory, Practice and Experience*, 97.
- Youssef, A. (2023). Unleashing the ai revolution: exploring the capabilities and challenges of large language models and text-to-image AI programs. *Ultrasound in Obstetrics and Gynecology*, 62(2), 308-312. <https://doi.org/10.1002/uog.26297>
- Zeytin, E., Öztürk Kösençig, K., & Öner, D. (2024). The role of ai design assistance on the architectural design process: an empirical research with novice designers. *Journal of Computational Design*, 5(1), 1-30. <https://doi.org/10.53710/jcode.1421039>